

Appendix 5 Natural resources

Appendix 5.1 Schedule of Significant Ecological Areas - land

[all provisions in this appendix are: rps/rp]

[Click here for PDF](#)

Appendix 5.1 Schedule of Significant Ecological Areas – Land

Schedule ID	Criteria met ¹	SEA_T_77	1, 2	SEA_T_119	1, 2
SEA_T_25	2, 3	SEA_T_78	1, 2	SEA_T_121	1, 2
SEA_T_29	1	SEA_T_79	1, 2, 3	SEA_T_122	1, 4
SEA_T_30	1, 2, 3, 4	SEA_T_80	1, 2	SEA_T_123	1, 2, 3
SEA_T_31	2, 3, 4, 5	SEA_T_81	1, 2	SEA_T_125	1, 2, 3
SEA_T_33	1, 2, 4	SEA_T_85	2, 4	SEA_T_127	1, 2, 4
SEA_T_34	2, 3	SEA_T_86	1, 2	SEA_T_131	1, 2, 4
SEA_T_38	2, 3, 4	SEA_T_90	1	SEA_T_132	1
SEA_T_40	4	SEA_T_91	1, 2	SEA_T_133	1, 2, 3
SEA_T_41	3, 4	SEA_T_92	1, 2, 3	SEA_T_136	2
SEA_T_43	2, 4	SEA_T_93	1, 2, 3, 4	SEA_T_139	2, 4
SEA_T_44	3	SEA_T_94	1, 2	SEA_T_148	2
SEA_T_46	3, 4	SEA_T_95	1, 2, 3	SEA_T_150	2
SEA_T_47	2	SEA_T_97	3, 4	SEA_T_151	2, 4
SEA_T_48	4	SEA_T_98	1, 2	SEA_T_153	2
SEA_T_50	2, 4	SEA_T_100	1	SEA_T_154	2
SEA_T_53	1, 2	SEA_T_101	1, 2, 3	SEA_T_155	2
SEA_T_54	1, 2	SEA_T_102	1	SEA_T_156	2
SEA_T_55	2, 3	SEA_T_103	1	SEA_T_157	2, 3
SEA_T_56	1, 2, 3	SEA_T_103a	1, 2	SEA_T_158	2
SEA_T_59	3	SEA_T_105	1, 2	SEA_T_159	1
SEA_T_62	1, 2	SEA_T_106	1	SEA_T_161	2, 3
SEA_T_63	2	SEA_T_107	1, 2	SEA_T_163	1, 2
SEA_T_65	1, 2, 4	SEA_T_108	1, 2	SEA_T_164	1
SEA_T_66	1, 2, 3	SEA_T_109	1, 2	SEA_T_168	2, 3, 4
SEA_T_68	1, 2	SEA_T_110	1, 2	SEA_T_169	1
SEA_T_69	2	SEA_T_111	1, 2	SEA_T_170	3
SEA_T_70	2	SEA_T_112	1, 2	SEA_T_172	2, 3
SEA_T_71	2	SEA_T_113	1, 2	SEA_T_173	1, 2
SEA_T_72	3, 4	SEA_T_114	1, 2	SEA_T_175	2
SEA_T_73	2	SEA_T_115	1, 2	SEA_T_176	2
SEA_T_74	2, 3	SEA_T_116	1, 2	SEA_T_177	2
SEA_T_75	1, 2, 4	SEA_T_117	2, 3	SEA_T_179	2, 4
SEA_T_76	1, 2, 4	SEA_T_118	1, 2	SEA_T_180	2

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_181	4
SEA_T_183	4
SEA_T_184	4
SEA_T_185	4
SEA_T_193	2
SEA_T_194	2
SEA_T_196	2, 3, 4, 5
SEA_T_197	1, 2, 3
SEA_T_199	2
SEA_T_201	1, 2
SEA_T_202	2, 3, 4
SEA_T_203	2, 3, 4
SEA_T_204	1, 2, 3, 4
SEA_T_205	1, 2, 3, 4
SEA_T_206	1, 2, 3
SEA_T_206a	1, 2, 3
SEA_T_207	1, 2, 3
SEA_T_208	1, 2, 3, 4
SEA_T_209	1, 2, 3, 4
SEA_T_210	3, 4
SEA_T_211	1, 2, 3, 4
SEA_T_212	2, 3, 4
SEA_T_213	1, 2, 3, 4
SEA_T_215	1, 2, 3
SEA_T_216	3
SEA_T_217	1, 2
SEA_T_219	1, 2, 4
SEA_T_222	4
SEA_T_223	2, 3, 4
SEA_T_224	2, 3
SEA_T_225	2, 3
SEA_T_226	2
SEA_T_227	2, 3
SEA_T_229	2, 3
SEA_T_230	1, 2, 3

SEA_T_231	1
SEA_T_232	4
SEA_T_233	1
SEA_T_234	1, 2, 3
SEA_T_236	1
SEA_T_237	1, 3, 4
SEA_T_240	1, 2, 4
SEA_T_241	1, 2, 3
SEA_T_244	2, 3
SEA_T_245	3
SEA_T_247	1, 2
SEA_T_248	3, 4
SEA_T_249	4
SEA_T_250	3
SEA_T_254	2
SEA_T_259	1, 3
SEA_T_262	1, 2, 3
SEA_T_263	1
SEA_T_266	1, 2, 3
SEA_T_267	2, 3, 4
SEA_T_268	2, 4
SEA_T_269	1, 3, 4
SEA_T_276	3, 4
SEA_T_279	3, 4
SEA_T_280	3
SEA_T_284	3, 4
SEA_T_288	1, 2
SEA_T_289	1, 3
SEA_T_305	3
SEA_T_307	2, 3
SEA_T_308	2, 3, 4
SEA_T_309	2, 3, 4
SEA_T_310	1, 2, 3
SEA_T_313	2
SEA_T_314	3

SEA_T_316	3, 4
SEA_T_319	2
SEA_T_320	3, 4
SEA_T_322	1, 2, 3
SEA_T_323	1
SEA_T_325	1, 3, 4
SEA_T_326	2
SEA_T_330A	1
SEA_T_331	4
SEA_T_334	1, 3, 4
SEA_T_336	2, 3, 4
SEA_T_337	2, 3, 4
SEA_T_339	1
SEA_T_341	1, 2, 3, 4
SEA_T_342	4
SEA_T_357	4
SEA_T_358	3
SEA_T_361	3
SEA_T_363	3
SEA_T_364	3
SEA_T_366	4
SEA_T_367	2
SEA_T_369	2, 3
SEA_T_370	1, 2, 3
SEA_T_371	1, 2
SEA_T_372	2, 3
SEA_T_374	1, 2, 3
SEA_T_377	2
SEA_T_378	2, 3
SEA_T_379	3, 4
SEA_T_380	1, 2
SEA_T_381	1, 2
SEA_T_383	4
SEA_T_386	4
SEA_T_389	3, 4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_391	3, 4
SEA_T_396	2, 4
SEA_T_403	2, 4
SEA_T_404	1, 2, 3
SEA_T_405	2
SEA_T_407	4
SEA_T_409	1, 2, 3
SEA_T_410	3, 4
SEA_T_413	3
SEA_T_414	2, 3
SEA_T_415	2
SEA_T_417	3, 4
SEA_T_418	4
SEA_T_419	4
SEA_T_421	1, 2
SEA_T_424	1, 2, 3, 4
SEA_T_427	3
SEA_T_428	2, 3
SEA_T_430	2, 3
SEA_T_431	2, 3
SEA_T_432	2
SEA_T_435	4
SEA_T_436	2, 3, 4
SEA_T_437	2, 3
SEA_T_439	2
SEA_T_443	3
SEA_T_446	3
SEA_T_448	2
SEA_T_449	2, 3
SEA_T_450	2, 3
SEA_T_451	1, 2
SEA_T_453	1
SEA_T_454	2
SEA_T_456	1
SEA_T_464	1, 2, 3

SEA_T_466	1, 2, 3
SEA_T_468	2, 3
SEA_T_469	3
SEA_T_470	2, 3
SEA_T_471	1, 2, 3
SEA_T_472	2, 3
SEA_T_474	1, 2, 3
SEA_T_475	2, 3, 4
SEA_T_476	2, 3, 4
SEA_T_478	1, 2, 3
SEA_T_479	2, 3, 4
SEA_T_480	2, 3, 4
SEA_T_483	2, 3
SEA_T_485	1, 2, 3, 4, 5
SEA_T_489	2
SEA_T_491	2, 3
SEA_T_492	2, 3
SEA_T_493	4
SEA_T_494	1, 2, 3
SEA_T_500	3
SEA_T_501	2, 3
SEA_T_504	3
SEA_T_505	4
SEA_T_508	1, 2
SEA_T_509	1, 2, 3
SEA_T_509B	2
SEA_T_510	3
SEA_T_513	3
SEA_T_514	4
SEA_T_519	2, 4
SEA_T_521	2
SEA_T_525	2, 4
SEA_T_526a	2, 4, 5
SEA_T_529	4
SEA_T_530	2, 4

SEA_T_530b	2
SEA_T_531	1, 2
SEA_T_532	1
SEA_T_533	1, 2
SEA_T_534	1, 2, 3
SEA_T_535	1, 2
SEA_T_536	1, 2
SEA_T_538	1, 2
SEA_T_538a	1, 2, 4
SEA_T_538b	1, 2, 4
SEA_T_538c	1, 2, 4
SEA_T_539	1, 2
SEA_T_540	1
SEA_T_540a	1
SEA_T_540c	1
SEA_T_540d	2
SEA_T_542	2, 4
SEA_T_544	2
SEA_T_545	1, 2
SEA_T_559	3
SEA_T_560	3, 4
SEA_T_561	2, 3, 4
SEA_T_562	2, 4
SEA_T_564	2, 3
SEA_T_565	2, 3
SEA_T_567	4
SEA_T_570	3
SEA_T_572	4
SEA_T_578	4
SEA_T_581	1, 2, 3
SEA_T_583	1, 2, 4, 5
SEA_T_586	1, 2, 4
SEA_T_587	2, 3, 4
SEA_T_588	2, 3, 4
SEA_T_589	2, 3, 4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_590	2, 3
SEA_T_592	1, 2, 3, 4
SEA_T_593	1, 2, 3, 4
SEA_T_594	2, 3
SEA_T_595	2, 4
SEA_T_596	2, 4
SEA_T_597	2, 4
SEA_T_598	2, 3, 4
SEA_T_599	2, 3, 4
SEA_T_600	4
SEA_T_607	4
SEA_T_611	4
SEA_T_612	2, 4
SEA_T_613	2
SEA_T_622	4
SEA_T_626	2, 3, 4
SEA_T_626a	2
SEA_T_626b	2
SEA_T_627	2, 4
SEA_T_627a	2, 3, 4
SEA_T_627b	2, 4
SEA_T_627c	2, 4
SEA_T_628	1, 4
SEA_T_629	1, 2, 3
SEA_T_631	3
SEA_T_632	2, 3, 4
SEA_T_633	2, 3, 4
SEA_T_634	3
SEA_T_635	2, 3
SEA_T_636	1, 2
SEA_T_637	2, 3
SEA_T_638	1, 2, 3, 4
SEA_T_639	4
SEA_T_641	2, 3
SEA_T_643	2

SEA_T_646	1, 2, 3
SEA_T_647	4
SEA_T_648	1, 2
SEA_T_651	3
SEA_T_661	1, 2, 5
SEA_T_662	1, 2
SEA_T_667	1, 3
SEA_T_668	2, 3, 4
SEA_T_670	1
SEA_T_671	1
SEA_T_672	2, 3
SEA_T_672a	5
SEA_T_673	1, 2
SEA_T_674	1, 2
SEA_T_675	2, 4
SEA_T_675a	2, 3
SEA_T_676a	1, 4
SEA_T_678a	2, 3, 4
SEA_T_679	1, 2, 5
SEA_T_679a	4
SEA_T_683	2, 3, 4
SEA_T_685	1, 2
SEA_T_685a	3
SEA_T_686	2, 3
SEA_T_686a	1, 2, 3, 4
SEA_T_687	1, 3, 4
SEA_T_688	1
SEA_T_688a	1, 2, 3
SEA_T_690	1, 2, 3
SEA_T_690a	1, 2, 3
SEA_T_691	1, 2
SEA_T_691a	2, 3, 4
SEA_T_691d	4
SEA_T_692	4
SEA_T_693	3, 4

SEA_T_693a	2, 3
SEA_T_695a	1, 3
SEA_T_696	1, 2
SEA_T_696a	1, 2, 3
SEA_T_697	1, 2
SEA_T_698	1, 2, 3, 4
SEA_T_698a	2, 3
SEA_T_700	2
SEA_T_701	2, 3, 4, 5
SEA_T_703	3
SEA_T_704	3
SEA_T_705	3, 4
SEA_T_706	1, 2
SEA_T_707	2
SEA_T_708	3
SEA_T_712	3, 4, 5
SEA_T_713	2
SEA_T_715	2
SEA_T_716	2
SEA_T_717	2
SEA_T_717a	4
SEA_T_717b	2
SEA_T_719	2
SEA_T_725	1, 2
SEA_T_726	1
SEA_T_729	1, 2, 3
SEA_T_735	1, 3, 4
SEA_T_738	3, 4
SEA_T_739	1, 3, 4
SEA_T_741	1, 3
SEA_T_745	1, 2, 3, 4, 5
SEA_T_746	2, 4, 5
SEA_T_747	1, 2, 5
SEA_T_748	4
SEA_T_750	1, 2

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_751	1, 2, 3
SEA_T_752	1, 3
SEA_T_753	3
SEA_T_757	1, 2, 3
SEA_T_758	1, 4
SEA_T_759	1, 3, 4
SEA_T_760	1, 2
SEA_T_764	2, 3
SEA_T_765	1, 2, 4
SEA_T_766	2
SEA_T_769	1
SEA_T_770	2
SEA_T_772	1, 2, 3
SEA_T_774	2, 5
SEA_T_776	2, 5
SEA_T_777	2
SEA_T_778	1, 2, 3, 5
SEA_T_780	2, 3, 4
SEA_T_781	2
SEA_T_784	1
SEA_T_785	1, 3
SEA_T_786	3, 4
SEA_T_790	2, 3
SEA_T_794	2, 4
SEA_T_796	1, 4
SEA_T_798	4
SEA_T_800	2
SEA_T_801	2
SEA_T_803	2, 3, 4
SEA_T_805	1, 3
SEA_T_808	3
SEA_T_809	1, 3
SEA_T_813	2, 5
SEA_T_814	4
SEA_T_816	1

SEA_T_817	1, 3
SEA_T_821	1, 3, 4
SEA_T_822	3
SEA_T_824	4
SEA_T_828	2
SEA_T_829	2, 3
SEA_T_831	2, 3
SEA_T_832	1, 2
SEA_T_835	2, 3, 4
SEA_T_840	1, 2, 3
SEA_T_842	2, 3
SEA_T_844	2
SEA_T_848	1, 2
SEA_T_859	2, 4
SEA_T_860	1, 2, 3, 4
SEA_T_862	3
SEA_T_863	3
SEA_T_864	1, 2, 3
SEA_T_866	2, 3
SEA_T_870	4
SEA_T_872	2, 3, 4
SEA_T_873	1, 3, 4
SEA_T_874	1, 2, 3, 4
SEA_T_875	1, 2
SEA_T_876	1, 2
SEA_T_877	2
SEA_T_878	1
SEA_T_878a	1, 3, 4
SEA_T_879	3, 4
SEA_T_880	3, 4
SEA_T_881	3, 4
SEA_T_882	1, 3, 4
SEA_T_883	2, 3, 4
SEA_T_886	1, 3
SEA_T_887	1

SEA_T_890	1, 2, 4
SEA_T_892	1, 2
SEA_T_893	3
SEA_T_894	1 2
SEA_T_894a	1, 2
SEA_T_894b	1, 2
SEA_T_895	2, 3, 4
SEA_T_896	2, 3
SEA_T_899	1, 4
SEA_T_900	1
SEA_T_901	1, 3, 4
SEA_T_903	1, 2, 4
SEA_T_905	2, 4
SEA_T_906	1, 2
SEA_T_907	1, 2, 3, 4
SEA_T_908	1, 2, 3
SEA_T_909	1, 2, 3
SEA_T_909c	1, 2
SEA_T_910	1 2 3 4
SEA_T_911	2
SEA_T_914	2, 3
SEA_T_915	2
SEA_T_917	2, 3, 4, 5
SEA_T_918	1, 2, 5
SEA_T_920	2, 3, 4
SEA_T_921	2, 4, 5
SEA_T_922	2, 5
SEA_T_923	2, 3, 4
SEA_T_925	1
SEA_T_926	2, 3
SEA_T_927	2, 4
SEA_T_928	1, 3
SEA_T_929	1
SEA_T_930	1, 2, 3, 4
SEA_T_931	1, 3

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_932	1, 2
SEA_T_937	1, 2, 3
SEA_T_938	1, 2, 3
SEA_T_940	1, 2, 3
SEA_T_941	1, 2, 3
SEA_T_942	1, 2, 3
SEA_T_943	4
SEA_T_944	1, 3, 4
SEA_T_945	1, 3, 4
SEA_T_946	2, 3
SEA_T_947	4
SEA_T_948	2, 3, 4
SEA_T_949	2, 3, 4
SEA_T_953	1, 2
SEA_T_954	1, 2
SEA_T_955	4
SEA_T_956	2
SEA_T_959	2, 3
SEA_T_962	2, 3, 4
SEA_T_963	1, 2, 3
SEA_T_963b	2
SEA_T_964c	2
SEA_T_965	2, 3
SEA_T_967	2, 3, 4
SEA_T_968	2
SEA_T_969	2, 3
SEA_T_970	2
SEA_T_971	2, 3
SEA_T_972	4
SEA_T_973	3, 4
SEA_T_974	2
SEA_T_974a	2
SEA_T_974b	2
SEA_T_974c	2
SEA_T_977	3

SEA_T_977a	2, 3
SEA_T_978	2
SEA_T_980	2, 3
SEA_T_981	2, 3
SEA_T_985	1, 2, 3
SEA_T_986	3, 4
SEA_T_987	2
SEA_T_990	2
SEA_T_992	3
SEA_T_994	2, 3
SEA_T_1001	2, 3
SEA_T_1005	2
SEA_T_1006	1, 2, 3, 4
SEA_T_1010	2, 3, 4
SEA_T_1011	2, 3
SEA_T_1012	2
SEA_T_1015	2
SEA_T_1017	1, 2, 4
SEA_T_1018	2
SEA_T_1019	1, 2
SEA_T_1021	3
SEA_T_1023	2, 3, 4
SEA_T_1024	2, 3
SEA_T_1025	3
SEA_T_1026	2, 3
SEA_T_1029	1, 2
SEA_T_1030	3
SEA_T_1031	3, 4
SEA_T_1032	2, 3
SEA_T_1033	2
SEA_T_1037	1, 2
SEA_T_1038	3
SEA_T_1039	1, 2
SEA_T_1040	3, 4
SEA_T_1041	2

SEA_T_1043	2, 3
SEA_T_1045	3, 4
SEA_T_1050	1, 2
SEA_T_1052	3
SEA_T_1056	3
SEA_T_1057	1, 2
SEA_T_1058	1, 3
SEA_T_1061	2
SEA_T_1062	1, 2
SEA_T_1063	2, 3
SEA_T_1067	3
SEA_T_1069	1, 2
SEA_T_1070	1, 3, 4
SEA_T_1072	1, 2, 3
SEA_T_1073	3, 4
SEA_T_1073a	1, 3
SEA_T_1074a	3
SEA_T_1074b	3
SEA_T_1077	1, 2
SEA_T_1078	2, 3
SEA_T_1079	1, 2, 3
SEA_T_1080	2, 3
SEA_T_1083	2, 4
SEA_T_1084	3
SEA_T_1085	3
SEA_T_1087a	2, 3
SEA_T_1088	2, 3
SEA_T_1089	2, 3
SEA_T_1090	2, 3
SEA_T_1091	2, 3
SEA_T_1096	3
SEA_T_1097	1, 2, 3
SEA_T_1098	2, 3
SEA_T_1099	2, 3
SEA_T_1101	2, 3

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_1105	2, 3
SEA_T_1106	1, 2, 3
SEA_T_1107	1, 2, 3
SEA_T_1108	3
SEA_T_1109	2, 3
SEA_T_1110	2
SEA_T_1111	2, 3, 4
SEA_T_1112	2, 3, 4
SEA_T_1113	2, 3
SEA_T_1114	4
SEA_T_1115	3, 4
SEA_T_1116	4
SEA_T_1117	2
SEA_T_1119	2, 3
SEA_T_1120	2, 3, 4
SEA_T_1123	3
SEA_T_1124	1, 2
SEA_T_1128	1, 2, 3
SEA_T_1130	1, 4
SEA_T_1130a	1, 4
SEA_T_1131	4
SEA_T_1132	2, 3
SEA_T_1133	1
SEA_T_1135	4
SEA_T_1136	1, 3, 4
SEA_T_1137	1
SEA_T_1140	3
SEA_T_1141	3
SEA_T_1142	4
SEA_T_1143	2, 3, 4
SEA_T_1144	4
SEA_T_1146	2
SEA_T_1147	3
SEA_T_1148	3, 4
SEA_T_1149	2, 3

SEA_T_1151	3
SEA_T_1153	1, 2
SEA_T_1154	1, 2, 4
SEA_T_1156	4
SEA_T_1158	4
SEA_T_1159	4
SEA_T_1160	4
SEA_T_1161	4
SEA_T_1162	2, 4
SEA_T_1166	4
SEA_T_1167	3
SEA_T_1170	3, 4
SEA_T_1172	1, 2
SEA_T_1173	3
SEA_T_1174	2
SEA_T_1175	1, 2
SEA_T_1177	2
SEA_T_1178	2, 4
SEA_T_1179	4
SEA_T_1183	4
SEA_T_1186	4
SEA_T_1188	4
SEA_T_1189B	2
SEA_T_1190	2
SEA_T_1191	1, 2, 4
SEA_T_1192	3, 4
SEA_T_1193	4
SEA_T_1194	2, 4
SEA_T_1195	1, 2
SEA_T_1197	1, 2
SEA_T_1198	1, 2, 4
SEA_T_1199	2, 3
SEA_T_2000	3, 4
SEA_T_2001	3
SEA_T_2003	2

SEA_T_2004	3
SEA_T_2005	2
SEA_T_2007	1, 2
SEA_T_2010	3, 4
SEA_T_2011	3, 4
SEA_T_2013	2, 3, 4, 5
SEA_T_2015	1, 4
SEA_T_2016	2, 4
SEA_T_2017	1, 4
SEA_T_2018	2, 3, 4
SEA_T_2019	4
SEA_T_2020	2
SEA_T_2021	2, 3
SEA_T_2027	3
SEA_T_2028	1, 2, 3
SEA_T_2029	2, 3, 4
SEA_T_2030	2, 3
SEA_T_2031	3
SEA_T_2032	2
SEA_T_2033a	1, 2, 3, 4
SEA_T_2033b	1, 2, 3, 4
SEA_T_2034	2
SEA_T_2037	3, 4
SEA_T_2039	2
SEA_T_2040	4
SEA_T_2041	2
SEA_T_2042	2
SEA_T_2043	2
SEA_T_2044	3, 4
SEA_T_2047	2
SEA_T_2049	2, 3
SEA_T_2050	1, 2, 3, 4
SEA_T_2056	2
SEA_T_2057	3, 4
SEA_T_2065	2, 4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_2066	2, 3, 4
SEA_T_2068	4
SEA_T_2069	4
SEA_T_2074	2, 3
SEA_T_2075	3
SEA_T_2077	2
SEA_T_2078	1, 2, 3
SEA_T_2080	2, 3
SEA_T_2082	3
SEA_T_2083	4
SEA_T_2087	1, 3
SEA_T_2089	3
SEA_T_2097	1, 3
SEA_T_2101	3, 4
SEA_T_2103	5
SEA_T_2105	4
SEA_T_2106	3
SEA_T_2113	2
SEA_T_2114	4
SEA_T_2115	4
SEA_T_2117	1, 2, 3
SEA_T_2118A	4
SEA_T_2118B	3, 4
SEA_T_2119	2, 3, 4
SEA_T_2120	1, 3
SEA_T_2121	1, 2, 4
SEA_T_2123	3
SEA_T_2124	3
SEA_T_2125	2, 3
SEA_T_2132	4
SEA_T_2134	2
SEA_T_2140	1, 3
SEA_T_2141	1
SEA_T_2143	4
SEA_T_2147	4

SEA_T_2149	1, 2, 3, 4
SEA_T_2150A	2, 3, 4
SEA_T_2150C	2, 3, 4
SEA_T_2151	1, 2, 3
SEA_T_2153	1, 3, 4
SEA_T_2157	3
SEA_T_2159	1, 4
SEA_T_2160	1, 4
SEA_T_2161a	2
SEA_T_2161b	2
SEA_T_2162	2, 3
SEA_T_2163	1, 2, 4
SEA_T_2164	3
SEA_T_2165	2, 3, 4
SEA_T_2165A	2
SEA_T_2166	2, 3, 4
SEA_T_2167	2, 4
SEA_T_2167a	2, 4
SEA_T_2167b	2, 4
SEA_T_2168	2, 3
SEA_T_2169	1, 2, 3, 4
SEA_T_2170	3
SEA_T_2171	2, 3, 4
SEA_T_2172	1, 3
SEA_T_2173	3
SEA_T_2174	4
SEA_T_2175	1, 2, 3
SEA_T_2175a	3
SEA_T_2176	3
SEA_T_2177	1, 3, 4
SEA_T_2179	3
SEA_T_2180	1, 2, 4, 5
SEA_T_2181	1
SEA_T_2182	1, 2, 3
SEA_T_2184	1, 2, 3

SEA_T_2184a	2
SEA_T_2184b	2
SEA_T_2188	1, 4
SEA_T_2189	1, 3, 4
SEA_T_2190	1, 2, 3, 4
SEA_T_2191	2, 3, 4
SEA_T_2192	2, 3
SEA_T_2192a	1, 2, 3, 4
SEA_T_2193	3
SEA_T_2194	1, 2, 3
SEA_T_2195	1
SEA_T_2196	2, 3
SEA_T_2197	3
SEA_T_2198	1, 3, 4
SEA_T_2199	1, 2, 4
SEA_T_2199a	4
SEA_T_2200	1, 2
SEA_T_2201	1, 2, 3
SEA_T_2202	1, 3
SEA_T_2204	2
SEA_T_2205	1, 3
SEA_T_2206	3
SEA_T_2207	1, 3, 4
SEA_T_2208	1, 3
SEA_T_2209	2, 3
SEA_T_2212	2, 3
SEA_T_2213	1, 3
SEA_T_2214	3, 4
SEA_T_2214a	4
SEA_T_2214b	4
SEA_T_2215	1
SEA_T_2217	1
SEA_T_2218	2
SEA_T_2220	1, 2
SEA_T_2222	1, 4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_2223	1, 4
SEA_T_2224	1, 2, 3
SEA_T_2225	1, 2
SEA_T_2226	1
SEA_T_2226a	4
SEA_T_2226b	4
SEA_T_2241	4
SEA_T_2242	3
SEA_T_2244	2, 3
SEA_T_2245	1, 2
SEA_T_2246	1, 2, 3
SEA_T_2247	4
SEA_T_2248	1, 2
SEA_T_2249	1
SEA_T_2250	2
SEA_T_2251	1, 2, 3
SEA_T_2251a	2
SEA_T_2252	1, 2, 5
SEA_T_2253	1, 2
SEA_T_2254	1
SEA_T_2255	2
SEA_T_2256	2, 3
SEA_T_2257	1
SEA_T_2258	1, 2
SEA_T_2259	3
SEA_T_2260	1, 2, 4, 5
SEA_T_2261	3, 4
SEA_T_2262	1, 2
SEA_T_2264	4
SEA_T_2265	3, 4
SEA_T_2266	1
SEA_T_2267	3, 4
SEA_T_2268	3
SEA_T_2270	2
SEA_T_2272	1, 2

SEA_T_2273	1
SEA_T_2274	2, 3
SEA_T_2275	1
SEA_T_2276	1, 4
SEA_T_2277	1, 3
SEA_T_2277a	1
SEA_T_2278	1, 4
SEA_T_2279	1, 2
SEA_T_2280	4
SEA_T_2281	3
SEA_T_2282	2
SEA_T_2283	1
SEA_T_2284	4
SEA_T_2285	1, 2, 4
SEA_T_2286	2, 4
SEA_T_2287	1, 2
SEA_T_2288	1
SEA_T_2289	2, 3, 4
SEA_T_2290	3
SEA_T_2291	2, 4
SEA_T_2292	4
SEA_T_2294	2, 4, 5
SEA_T_2295	1, 2, 3
SEA_T_2296	2, 3, 4
SEA_T_2297	2, 4
SEA_T_2298	2, 3, 4, 5
SEA_T_2299	1, 2, 3
SEA_T_2301	1, 2, 4, 5
SEA_T_2302	1, 2, 3
SEA_T_2304	1, 2, 3, 4
SEA_T_2305	1, 3, 4
SEA_T_2306	1, 2, 4
SEA_T_2310	3, 4, 5
SEA_T_2311	1, 2, 3
SEA_T_2316	1, 2

SEA_T_2317	1, 3
SEA_T_2318	4
SEA_T_2319	3
SEA_T_2320	1
SEA_T_2326	2;4
SEA_T_2328	4
SEA_T_2329	2, 3
SEA_T_2336	2
SEA_T_2340	1
SEA_T_2343	2
SEA_T_2344	3, 4
SEA_T_2346a	1
SEA_T_2348	1
SEA_T_2349	1, 3
SEA_T_2350	2, 3
SEA_T_2352	4
SEA_T_2353	2
SEA_T_2355	2
SEA_T_2356	2
SEA_T_2357	1, 2, 3
SEA_T_2358	2
SEA_T_2359	2
SEA_T_2364	2
SEA_T_2366	4
SEA_T_2367	1, 2, 3
SEA_T_2368	1, 3, 4
SEA_T_2368a	1, 4
SEA_T_2369	1
SEA_T_2370	1, 4
SEA_T_2371	1, 2
SEA_T_2372	2
SEA_T_2373	1
SEA_T_2375	1, 2
SEA_T_2377	1, 2
SEA_T_2378	1, 4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_2379	2, 5
SEA_T_2381	2
SEA_T_2382	1
SEA_T_2383	1
SEA_T_2384C	1, 2, 4
SEA_T_2385	4
SEA_T_2386	4
SEA_T_2387	3, 4
SEA_T_2388	4
SEA_T_2391	4
SEA_T_2392	4
SEA_T_2393	4
SEA_T_2395	4
SEA_T_2396	3, 4
SEA_T_2397	3
SEA_T_2398	2, 3
SEA_T_2399	2, 3
SEA_T_2400	2, 4
SEA_T_2402	1, 2
SEA_T_2405	4
SEA_T_2407	3, 4, 5
SEA_T_2409	2
SEA_T_2410	1, 2, 3
SEA_T_2411	1, 3, 4
SEA_T_2412	1, 3, 4
SEA_T_2413	1, 2
SEA_T_2414	3
SEA_T_2415	2
SEA_T_2416	2, 3, 4
SEA_T_2417	3, 4
SEA_T_2418	3, 4
SEA_T_2419	3
SEA_T_2422	1, 2
SEA_T_2423	1, 2
SEA_T_2424	2

SEA_T_2425	2
SEA_T_2426	2
SEA_T_2428	4
SEA_T_2429	4
SEA_T_2430	3
SEA_T_2431	1, 2, 3
SEA_T_2431a	2, 4
SEA_T_2433	1, 4
SEA_T_2434	4
SEA_T_2435	1, 2, 3, 4
SEA_T_2435a	1
SEA_T_2436	1, 2
SEA_T_2437	1, 2, 3
SEA_T_2438	1
SEA_T_2439	1, 2, 3
SEA_T_2439a	1, 2
SEA_T_2440A	3, 4
SEA_T_2440B	3
SEA_T_2440C	3
SEA_T_2440D	3
SEA_T_2441	1, 2, 3, 4
SEA_T_2442	1
SEA_T_2443	1, 2
SEA_T_2444	1, 3, 4
SEA_T_2444a	1, 2
SEA_T_2445	1, 2
SEA_T_2446	1, 3, 4
SEA_T_2447	1, 4
SEA_T_2448	3
SEA_T_2449	1, 4
SEA_T_2450	2, 3
SEA_T_2451	1, 3
SEA_T_2452	2, 3
SEA_T_2454	1
SEA_T_2455	4

SEA_T_2456	1
SEA_T_2458	1, 3, 4
SEA_T_2460	2, 4
SEA_T_2460a	1, 2, 3
SEA_T_2461	2, 3
SEA_T_2463	2, 4
SEA_T_2464	1, 2, 3, 4
SEA_T_2468	3
SEA_T_2472	3, 4
SEA_T_2475	1
SEA_T_2476	1
SEA_T_2478	2, 3
SEA_T_2479	3
SEA_T_2481	4
SEA_T_2484	2, 4
SEA_T_2485	2
SEA_T_2491	3
SEA_T_2492	2, 3, 4
SEA_T_2493	1, 2, 3, 4
SEA_T_2494	2, 3
SEA_T_2495	1, 3, 4
SEA_T_2496a	2, 3
SEA_T_2497	1, 2
SEA_T_2500c	4
SEA_T_2502	1
SEA_T_2503	1
SEA_T_2504	3
SEA_T_2506	2
SEA_T_2507	4
SEA_T_2511	1, 2
SEA_T_2512	1
SEA_T_2514	1
SEA_T_2515	1, 3
SEA_T_2516	1
SEA_T_2518	1

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_2521	2, 4
SEA_T_2522	1, 2
SEA_T_2523	1
SEA_T_2524	4
SEA_T_2525	3
SEA_T_2526	3, 4
SEA_T_2527	2, 3, 4
SEA_T_2528	1, 2, 3
SEA_T_2529	3, 4
SEA_T_2530	1
SEA_T_2531	1, 2, 4
SEA_T_2532	1, 2, 3, 4
SEA_T_2533	1, 2, 3
SEA_T_2534	1
SEA_T_2535	2
SEA_T_2538	1, 2, 3
SEA_T_2539	2, 4
SEA_T_2544	2, 4
SEA_T_2545	1, 4
SEA_T_2546	4
SEA_T_2549	1, 4
SEA_T_2550	1, 2, 3, 4
SEA_T_2553	2
SEA_T_2554	1, 2
SEA_T_2555	2
SEA_T_2557	2
SEA_T_2558	2, 3
SEA_T_2560	2, 3
SEA_T_2561	3, 4
SEA_T_2562	1, 2
SEA_T_2565	1, 2, 3, 4
SEA_T_2566	1, 2
SEA_T_2569	1, 3
SEA_T_2570	3
SEA_T_2572	2, 3

SEA_T_2573	4
SEA_T_2574	3, 4
SEA_T_2577	4
SEA_T_2579	5
SEA_T_2580	1, 4
SEA_T_2583	2, 4
SEA_T_2586	1, 3
SEA_T_2587	1, 2
SEA_T_2588	4
SEA_T_2589	4
SEA_T_2590	2
SEA_T_2592	1, 2
SEA_T_2592a	2, 4
SEA_T_2592b	2, 4
SEA_T_2592c	2, 4
SEA_T_2593	4
SEA_T_2596	1
SEA_T_2597	2
SEA_T_2598	4
SEA_T_2599A	4
SEA_T_2599B	4
SEA_T_2600	2, 3
SEA_T_2601	2, 3, 4
SEA_T_2602	4
SEA_T_2603	1
SEA_T_2606	2, 3, 4, 5
SEA_T_2607	3, 4
SEA_T_2608	4
SEA_T_2609	1, 2
SEA_T_2610	1, 3
SEA_T_2613	4
SEA_T_2614	3, 4
SEA_T_2614a	3, 4
SEA_T_2617	2, 3
SEA_T_2618	3, 4

SEA_T_2621	1, 3
SEA_T_2622	2, 3, 4
SEA_T_2622a	4
SEA_T_2623	1, 2, 3, 4
SEA_T_2624	3
SEA_T_2625	2, 3, 4
SEA_T_2626	2
SEA_T_2626a	2
SEA_T_2628	3
SEA_T_2629	4
SEA_T_2630	1, 2, 4
SEA_T_2631	2
SEA_T_2632	2, 3
SEA_T_2633	1, 3
SEA_T_2634a	1
SEA_T_2635	2, 3, 4
SEA_T_2636	3, 4
SEA_T_2637	3, 4
SEA_T_2638	1
SEA_T_2639	3, 4
SEA_T_2641	1
SEA_T_2642	1, 4
SEA_T_2643	1, 4
SEA_T_2645a	3, 4
SEA_T_2647	2, 3, 4
SEA_T_2648	4
SEA_T_2649	1
SEA_T_2650	1, 2
SEA_T_2652	4
SEA_T_2653	1, 3, 4
SEA_T_2654	1, 2, 4
SEA_T_2655	1
SEA_T_2658	1, 2
SEA_T_2661	1, 2, 3
SEA_T_2661a	3, 4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_2664	1, 2
SEA_T_2665	1, 2
SEA_T_2666	4
SEA_T_2666a	4
SEA_T_2667	4
SEA_T_2669	1, 2, 3
SEA_T_2678	1, 2, 3, 4
SEA_T_2678a	2, 3, 4
SEA_T_2679	3, 4
SEA_T_2680	4, 5
SEA_T_2681	3, 4, 5
SEA_T_2682	3, 4
SEA_T_2682a	1, 2, 3, 4
SEA_T_2685	3, 4, 5
SEA_T_2685a	2, 3, 5
SEA_T_2686	1, 2, 3, 4
SEA_T_2690	3, 4
SEA_T_2691	1, 2, 4
SEA_T_2692	1, 2, 4
SEA_T_2693	2, 3, 4
SEA_T_2693a	4
SEA_T_2694	2, 3
SEA_T_2694a	1, 2, 3, 4
SEA_T_2696	4
SEA_T_2697	2, 3, 4
SEA_T_2698	4
SEA_T_2699	2, 3, 4
SEA_T_2700	2, 4
SEA_T_2701	2, 4
SEA_T_2702	2, 3, 4
SEA_T_2703	2, 3, 4
SEA_T_2704	2, 3, 4
SEA_T_2705	2, 3, 4
SEA_T_2706	2, 3, 4
SEA_T_2707	2, 3, 4

SEA_T_2708	2, 3, 4
SEA_T_2709	2, 3, 4
SEA_T_2710	2, 3, 4
SEA_T_2711	2, 4
SEA_T_2712	2, 4
SEA_T_2713	2, 4
SEA_T_2714	2, 4
SEA_T_2715	2, 4
SEA_T_2716	2, 4
SEA_T_2717	2, 4
SEA_T_2718	2, 4
SEA_T_2719	2, 4
SEA_T_2720	2, 4, 5
SEA_T_2721	3, 4
SEA_T_2722	1, 2, 3, 4
SEA_T_2723	2, 3, 4
SEA_T_2724	2
SEA_T_2726	1, 2, 3
SEA_T_2727	2, 4
SEA_T_2734	1, 2, 3, 4
SEA_T_2736	1, 2, 3, 4, 5
SEA_T_2738	3, 4
SEA_T_2739	2, 4
SEA_T_2740	1, 2, 3, 4
SEA_T_2741	2, 3
SEA_T_2742	1, 2, 3, 4
SEA_T_2742a	1, 2, 3
SEA_T_2743	1, 2, 3, 4
SEA_T_2746	1, 2, 4
SEA_T_2750	2, 3, 4
SEA_T_2752	2
SEA_T_2760	4
SEA_T_2763	1, 2
SEA_T_2765	1, 2, 3
SEA_T_2767	2, 3

SEA_T_2770	1, 2, 3
SEA_T_2771	2, 3, 4
SEA_T_2772	1, 2
SEA_T_2774a	2, 4
SEA_T_2774b	2, 4
SEA_T_2780	1, 2
SEA_T_2783	3
SEA_T_2783A	4
SEA_T_2784	3, 4
SEA_T_2785	3
SEA_T_2787	3, 4
SEA_T_2789	1, 2
SEA_T_2789c	1, 2
SEA_T_2793	1, 2
SEA_T_2794	1, 2
SEA_T_2795	1, 2
SEA_T_2797	1, 2
SEA_T_2798	3, 4
SEA_T_2799	2, 3
SEA_T_2802	2
SEA_T_2803	2, 3
SEA_T_2804	2
SEA_T_2805	2
SEA_T_2809	1, 2, 3
SEA_T_2810	1, 2
SEA_T_2811	1, 2
SEA_T_2812	1, 2
SEA_T_2813	1, 2
SEA_T_2814	1, 2
SEA_T_2815	1, 2, 3
SEA_T_2816	2, 3
SEA_T_2817	1, 2
SEA_T_2818	3, 4
SEA_T_2820	4
SEA_T_2821	3, 4, 5

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_2821a	3, 4, 5
SEA_T_2822	2, 3
SEA_T_2823	2
SEA_T_2828	1
SEA_T_2829	1, 2
SEA_T_2830	1, 3, 4
SEA_T_2832	1, 2, 4
SEA_T_2835	1, 2, 3, 4
SEA_T_2836	2, 4
SEA_T_2837	3
SEA_T_2840	2, 3, 4
SEA_T_2842	3, 4
SEA_T_2845	2, 3
SEA_T_2846	2, 4, 5
SEA_T_2862	4
SEA_T_2866	4
SEA_T_2873	3, 4
SEA_T_2878	1, 2, 3, 4
SEA_T_2880	4
SEA_T_2885	4
SEA_T_2886	1, 4
SEA_T_2925	2, 4
SEA_T_2927	4
SEA_T_2969	2, 3, 4, 5
SEA_T_2974	2, 4
SEA_T_2982	2, 3, 4
SEA_T_2989	2, 3, 4, 5
SEA_T_2991	3, 4
SEA_T_2992	3, 4
SEA_T_2994	3, 4
SEA_T_3005	3, 4
SEA_T_3009	3, 4
SEA_T_3022	3
SEA_T_3030	3
SEA_T_3037	2, 3, 4

SEA_T_3041	3, 4
SEA_T_3043	2, 3, 4
SEA_T_3047	4
SEA_T_3078	2, 4
SEA_T_3081	2, 3, 4, 5
SEA_T_3084	4
SEA_T_3089	2, 5
SEA_T_3096	2, 5
SEA_T_3106	2, 5
SEA_T_3107	2, 5
SEA_T_3108	2, 5
SEA_T_3109	2, 5
SEA_T_3111	2, 5
SEA_T_3112	2, 5
SEA_T_3116	2, 4, 5
SEA_T_3117	2, 3, 4, 5
SEA_T_3120	2, 5
SEA_T_3124	2, 5
SEA_T_3129	2, 3, 4
SEA_T_3133	2, 4
SEA_T_3137	2, 3, 4
SEA_T_3140	4
SEA_T_3144	2, 3, 4
SEA_T_3145	3
SEA_T_3146	2, 4
SEA_T_3158	2, 3, 4, 5
SEA_T_3161	2, 3, 4, 5
SEA_T_3170	3
SEA_T_3174	4
SEA_T_3177	3, 4
SEA_T_3181	2, 3, 4, 5
SEA_T_3182	4
SEA_T_3184	4
SEA_T_3185	4
SEA_T_3187	4

SEA_T_3190	2, 3, 4
SEA_T_3194	4
SEA_T_3196	3, 4
SEA_T_3206	2
SEA_T_3230	5
SEA_T_3237	2
SEA_T_3238	3, 4
SEA_T_3240	1, 2, 3, 4
SEA_T_3248	2, 3, 5
SEA_T_3262	2, 3
SEA_T_3265	2, 3, 5
SEA_T_3269	2, 3, 5
SEA_T_3270	2, 3, 5
SEA_T_3272	2, 4
SEA_T_3274	2, 3, 5
SEA_T_3277	2, 3, 5
SEA_T_3281	2, 3, 5
SEA_T_3285	2, 3, 5
SEA_T_3312	2, 3, 5
SEA_T_3339	2, 3, 5
SEA_T_3339a	2, 3, 5
SEA_T_3341	2, 3, 4
SEA_T_3352	4
SEA_T_3356	2, 3, 4
SEA_T_3364	2, 3, 4
SEA_T_3370	4
SEA_T_3377	2, 4
SEA_T_3377a	2, 3, 4
SEA_T_3391	2, 4
SEA_T_3406	2, 3, 4
SEA_T_3407	1, 2, 4
SEA_T_3409	2, 4
SEA_T_3413	4
SEA_T_3422	2, 3
SEA_T_3429	2, 3

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_3431	2, 3, 4, 5
SEA_T_3432	3, 4
SEA_T_3433	4
SEA_T_3435	2, 3, 5
SEA_T_3436	2, 3, 4, 5
SEA_T_3458	2, 3, 4
SEA_T_3460	4
SEA_T_3462	2, 4
SEA_T_3467	2, 4, 5
SEA_T_3470	2
SEA_T_3490	2, 4
SEA_T_3491	2, 4
SEA_T_3493	2, 4
SEA_T_3496	2, 4
SEA_T_3497	2, 4
SEA_T_3526	2, 3, 4, 5
SEA_T_3540	3, 4
SEA_T_3571	2, 3, 4
SEA_T_3583	2, 3, 4
SEA_T_3590	2, 3
SEA_T_3601	2, 3, 4
SEA_T_3605	3, 4
SEA_T_3608	3, 4
SEA_T_3624	2, 4, 5
SEA_T_3626	2, 4
SEA_T_3638	2, 4
SEA_T_3652	2, 4
SEA_T_3658	2, 4
SEA_T_3668	4
SEA_T_3669	3, 4
SEA_T_3672	2, 4
SEA_T_3673	4
SEA_T_3676	4
SEA_T_3680	2, 4
SEA_T_3687	4

SEA_T_3692	2
SEA_T_3694	2, 3, 4
SEA_T_3696	2, 4
SEA_T_3714	2, 3, 4
SEA_T_3715	2, 3, 4
SEA_T_3718	4
SEA_T_3719	2, 3, 4
SEA_T_3721	3
SEA_T_3725	2, 3, 4
SEA_T_3731	4
SEA_T_3735	2, 3, 4
SEA_T_3737	2
SEA_T_3738	2, 5
SEA_T_3739	2, 3, 4, 5
SEA_T_3752	2, 3, 4
SEA_T_3754	2, 4
SEA_T_3772	2, 4, 5
SEA_T_3773	2, 3, 4
SEA_T_3776	3
SEA_T_3778	2, 3, 4
SEA_T_3779	4
SEA_T_3780	4
SEA_T_3782	3, 4
SEA_T_3802	2, 3, 4
SEA_T_3815	3, 4
SEA_T_3815a	2, 4
SEA_T_3854	2, 4
SEA_T_3859	4
SEA_T_3894	4
SEA_T_3898	4, 5
SEA_T_3900	2, 3, 4
SEA_T_3919	2
SEA_T_3920	2
SEA_T_3924	2, 3, 5
SEA_T_3940	2, 4

SEA_T_3944a	3
SEA_T_3949	2
SEA_T_3950	2, 4, 5
SEA_T_3953	2, 3, 5
SEA_T_3954	3
SEA_T_3957	2, 3, 4
SEA_T_3961	2, 4, 5
SEA_T_3963	4
SEA_T_3964	2, 3, 4, 5
SEA_T_3966	2, 3, 4
SEA_T_3972e	2, 4, 5
SEA_T_3997	2, 3, 4, 5
SEA_T_3997a	4
SEA_T_4037	2
SEA_T_4060	2, 4
SEA_T_4074	2, 3, 4
SEA_T_4090	2
SEA_T_4097	2, 4
SEA_T_4098	4
SEA_T_4100	4
SEA_T_4101	2, 4
SEA_T_4102	2, 4
SEA_T_4103	2
SEA_T_4104	4
SEA_T_4105	2
SEA_T_4107	4
SEA_T_4109	2
SEA_T_4110	2, 4
SEA_T_4112	2
SEA_T_4117	2
SEA_T_4120	4
SEA_T_4122	4
SEA_T_4123	2, 4
SEA_T_4124	2
SEA_T_4125	2, 4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_4126	2
SEA_T_4127	2
SEA_T_4130	2, 3, 4
SEA_T_4131	2
SEA_T_4132	4
SEA_T_4136	2, 3
SEA_T_4137	4
SEA_T_4138	2, 3, 4
SEA_T_4139	2, 4
SEA_T_4140	4
SEA_T_4143	2, 4
SEA_T_4145	3
SEA_T_4147	2
SEA_T_4148	2
SEA_T_4153	4
SEA_T_4155	2
SEA_T_4157	2
SEA_T_4158	2, 3
SEA_T_4159	2
SEA_T_4161	4
SEA_T_4164	4
SEA_T_4166	1, 2
SEA_T_4167	2, 4
SEA_T_4169	2, 4
SEA_T_4171	4
SEA_T_4172	2, 3
SEA_T_4173	2, 3
SEA_T_4174	2, 3
SEA_T_4176	2
SEA_T_4178	2, 3, 4
SEA_T_4178a	2, 3, 4
SEA_T_4180	2
SEA_T_4181	2, 4
SEA_T_4182	2, 4
SEA_T_4186	2, 4

SEA_T_4187	4
SEA_T_4188	2
SEA_T_4189	4
SEA_T_4190	2, 3, 4
SEA_T_4191	4
SEA_T_4192	4
SEA_T_4193	2
SEA_T_4195	2
SEA_T_4197	2
SEA_T_4202	1, 2, 3, 4
SEA_T_4203	4
SEA_T_4204	4
SEA_T_4205	2
SEA_T_4206	4
SEA_T_4208	2, 4
SEA_T_4210	4
SEA_T_4211	2
SEA_T_4214	2
SEA_T_4215	2, 4
SEA_T_4219	2, 4
SEA_T_4223	2, 4
SEA_T_4225	4
SEA_T_4226	1, 2, 3, 4
SEA_T_4226a	3, 4
SEA_T_4227c	4
SEA_T_4227d	2, 3
SEA_T_4227e	2, 3, 4
SEA_T_4229	1, 2, 3, 4
SEA_T_4232	3
SEA_T_4235	2, 4
SEA_T_4237	2, 3
SEA_T_4239	2, 3, 4
SEA_T_4239a	2, 4
SEA_T_4244	2
SEA_T_4245	2, 4

SEA_T_4245a	2
SEA_T_4246	2, 4
SEA_T_4247	2, 4
SEA_T_4249	2, 4
SEA_T_4251	2, 4
SEA_T_4253	4
SEA_T_4254	2, 3, 4
SEA_T_4255	4
SEA_T_4257	4
SEA_T_4258	2
SEA_T_4263	4
SEA_T_4264	4
SEA_T_4274	4
SEA_T_4275	4
SEA_T_4279	4
SEA_T_4280	4
SEA_T_4285	2, 3, 4
SEA_T_4286	2
SEA_T_4287	2
SEA_T_4291	4
SEA_T_4294	2, 4
SEA_T_4294a	1, 2, 3, 4
SEA_T_4296	4
SEA_T_4297	2, 3
SEA_T_4299	1, 2
SEA_T_4300	4
SEA_T_4301	2
SEA_T_4303	2
SEA_T_4303a	2
SEA_T_4304	4
SEA_T_4306	3, 4
SEA_T_4307	4
SEA_T_4308	1, 2, 3, 4
SEA_T_4310	2, 3, 4
SEA_T_4311	4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_4315	4
SEA_T_4317	1, 2, 3
SEA_T_4321	4
SEA_T_4327	1, 2
SEA_T_4330	2, 4
SEA_T_4332	4
SEA_T_4334	1, 2
SEA_T_4345	4
SEA_T_4345	4
SEA_T_4346	2
SEA_T_4347	4
SEA_T_4348	2, 4, 5
SEA_T_4350	2, 4
SEA_T_4351	2, 4
SEA_T_4352	2
SEA_T_4353	2, 3, 4
SEA_T_4356	1, 2
SEA_T_4357	1, 2, 4
SEA_T_4358	1, 2
SEA_T_4359	1, 4
SEA_T_4360	1
SEA_T_4361	1, 2, 3
SEA_T_4362	1, 2
SEA_T_4363	1, 2
SEA_T_4364	1, 2
SEA_T_4365	1, 2
SEA_T_4366	1, 2
SEA_T_4367	1, 2
SEA_T_4368	1, 2
SEA_T_4369	1, 2
SEA_T_4370	1, 2
SEA_T_4371	1, 2
SEA_T_4372	1
SEA_T_4373	1
SEA_T_4374	1, 2

SEA_T_4375	1, 2, 3
SEA_T_4376	1, 2
SEA_T_4377	1
SEA_T_4378	1, 2
SEA_T_4379	1, 2
SEA_T_4380	1, 2
SEA_T_4381	1, 2
SEA_T_4382	1, 2
SEA_T_4383	1, 2
SEA_T_4384	1, 2
SEA_T_4385	1, 2
SEA_T_4386	1
SEA_T_4387	1
SEA_T_4388	1, 4
SEA_T_4389	1
SEA_T_4390	1
SEA_T_4391	1
SEA_T_4392	1
SEA_T_4393	1, 2
SEA_T_4394	1, 2
SEA_T_4395	1, 2
SEA_T_4396	1, 2
SEA_T_4397	1, 2
SEA_T_4398	1, 2
SEA_T_4399A	1, 2
SEA_T_4400	1, 2
SEA_T_4401	1, 2
SEA_T_4402A	1, 2, 3
SEA_T_4403	1, 2, 3
SEA_T_4404	1, 4
SEA_T_4405	1, 2
SEA_T_4406	1, 2
SEA_T_4407	1
SEA_T_4408	1, 2
SEA_T_4409	1, 2

SEA_T_4410	1, 2
SEA_T_4411	1, 2, 4
SEA_T_4412	1, 2
SEA_T_4413	1, 2
SEA_T_4414	1, 2
SEA_T_4415	1, 2
SEA_T_4416	1, 2
SEA_T_4417	1, 2
SEA_T_4418	1, 2
SEA_T_4419	1, 2
SEA_T_4420	1, 2
SEA_T_4421	2, 4
SEA_T_4422	2
SEA_T_4423	1, 2
SEA_T_4424	1, 2
SEA_T_4425	1, 2
SEA_T_4426	1, 2
SEA_T_4427	2, 4
SEA_T_4428	1, 2
SEA_T_4429	1, 2, 3, 4
SEA_T_4430	1, 2, 3, 4
SEA_T_4431	1, 4
SEA_T_4432	1, 2
SEA_T_4433	1, 2, 4
SEA_T_4434	1, 2, 4
SEA_T_4435	1
SEA_T_4436	1, 2
SEA_T_4437	1, 2
SEA_T_4438	1, 2, 3, 4
SEA_T_4439	1, 2
SEA_T_4440	1, 2, 3, 4
SEA_T_4441	1, 2, 4
SEA_T_4442	1, 2
SEA_T_4443	1, 2, 3
SEA_T_4444	1, 2

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_4445	1, 3
SEA_T_4446	1, 2, 4
SEA_T_4447	1, 2
SEA_T_4449	1, 2, 3, 4, 5
SEA_T_4450	1, 2
SEA_T_4451	1, 2
SEA_T_4452	1, 2, 3
SEA_T_4453	1, 2
SEA_T_4454	1, 2
SEA_T_4456	2, 4
SEA_T_4457	1, 2
SEA_T_4458	1, 2
SEA_T_4459	1, 2, 3, 4
SEA_T_4461	1, 2
SEA_T_4463	1, 2, 3
SEA_T_4464	1
SEA_T_4465	1, 4
SEA_T_4466	1, 2
SEA_T_4467	1, 2, 3, 4
SEA_T_4468	1, 3
SEA_T_4469	1
SEA_T_4470	1, 2
SEA_T_4471	1, 2
SEA_T_4473	1, 2
SEA_T_4477	2, 4
SEA_T_4479	3
SEA_T_4480	1, 2
SEA_T_4481	1, 2, 3, 4
SEA_T_4482	1, 2
SEA_T_4483	4
SEA_T_4484	1, 2, 3
SEA_T_4485	1
SEA_T_4486	1
SEA_T_4487	2
SEA_T_4488	1

SEA_T_4489	1, 2
SEA_T_4493	1
SEA_T_4494	4
SEA_T_4496	4
SEA_T_4496a	2
SEA_T_4499	2, 4
SEA_T_4500	2
SEA_T_4501	1, 2, 3
SEA_T_4503	1, 2, 3
SEA_T_4504	1, 2
SEA_T_4505	1, 2, 3
SEA_T_4506	1
SEA_T_4507	1
SEA_T_4508	1
SEA_T_4509	1, 2
SEA_T_4510	2
SEA_T_4511	1, 2, 3
SEA_T_4512	2
SEA_T_4513	1, 2
SEA_T_4514	2
SEA_T_4516	3
SEA_T_4518	2, 3, 4
SEA_T_4519	4
SEA_T_4521	3
SEA_T_4524	4
SEA_T_4528	1, 2, 3, 4
SEA_T_4529	3, 4
SEA_T_4532	4
SEA_T_4536	4
SEA_T_4537	3, 4
SEA_T_4539	2
SEA_T_4541	1, 2
SEA_T_4545	3
SEA_T_4548	2, 3
SEA_T_4549	2, 3

SEA_T_4550	4
SEA_T_4551	3
SEA_T_4552	2, 3
SEA_T_4554b	3, 4
SEA_T_4554c	4
SEA_T_4556	2, 3, 4
SEA_T_4558	3, 4
SEA_T_4559	2, 4
SEA_T_4560	2
SEA_T_4561	2, 3, 4
SEA_T_4562	3, 4
SEA_T_4563	3, 4
SEA_T_4565	2
SEA_T_4568	2, 3
SEA_T_4569	3, 4
SEA_T_4570	3, 4
SEA_T_4571	2, 3, 4
SEA_T_4573	3, 4
SEA_T_4575	3, 4
SEA_T_4576	2
SEA_T_4577	3, 4
SEA_T_4579	2, 3
SEA_T_4584	3, 4, 5
SEA_T_4585	3, 4
SEA_T_4588	1, 2, 3, 4
SEA_T_4589	3, 4
SEA_T_4599	4
SEA_T_4602	1, 2, 3
SEA_T_4605	4
SEA_T_4608	3
SEA_T_4617	4
SEA_T_4621	1, 3
SEA_T_4625	1, 3
SEA_T_4626	3
SEA_T_4631	2, 4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_4633	2, 4
SEA_T_4636	2
SEA_T_4637	3, 4
SEA_T_4640	2
SEA_T_4641	2
SEA_T_4645	2, 3, 4
SEA_T_4654	3
SEA_T_4661	2, 4
SEA_T_4665	3
SEA_T_4670	1, 2, 3
SEA_T_4671	1, 2, 3
SEA_T_4672	1, 2, 3, 4
SEA_T_4673	1, 2, 3
SEA_T_4675	2
SEA_T_4681	1, 2, 3
SEA_T_4685	2, 4
SEA_T_4686	2, 4
SEA_T_4687	2
SEA_T_4688	2, 4
SEA_T_4689	2, 4
SEA_T_4690	2, 4
SEA_T_4691	2, 4
SEA_T_4692	2, 4
SEA_T_4711	2
SEA_T_4712	2
SEA_T_4726	2
SEA_T_4729	2, 4
SEA_T_4733	2, 4
SEA_T_4735	2
SEA_T_4740	2
SEA_T_4743	2
SEA_T_4744	2
SEA_T_4747	2, 3
SEA_T_4748	4
SEA_T_4758	2

SEA_T_4765	2
SEA_T_4774	4
SEA_T_4779	2, 4
SEA_T_4783	2, 4
SEA_T_4784	3
SEA_T_4787	2, 4
SEA_T_4791	2, 4
SEA_T_4803	4
SEA_T_4811A	2
SEA_T_4814	2
SEA_T_4822	4
SEA_T_4825	2, 4
SEA_T_4828	2, 4
SEA_T_4830	4
SEA_T_4849	4
SEA_T_4866	4
SEA_T_4867	1, 2, 3
SEA_T_4870	1, 2, 3
SEA_T_4872	2
SEA_T_4874	2
SEA_T_4875	4
SEA_T_4877	2
SEA_T_4878	2
SEA_T_4882	1, 2, 3, 4, 5
SEA_T_4891	1, 2, 3, 4
SEA_T_4899	2
SEA_T_4901	2
SEA_T_4902	2
SEA_T_4904	4
SEA_T_4905	4
SEA_T_4907	2, 3, 5
SEA_T_4913	3, 4
SEA_T_4916	2, 4
SEA_T_4917	2, 4, 5
SEA_T_4919	4

SEA_T_4932	2, 4
SEA_T_4938	3
SEA_T_4946	4
SEA_T_4950	4
SEA_T_4951	4
SEA_T_4959	2
SEA_T_4960	2
SEA_T_4961	2
SEA_T_4963	4
SEA_T_4965	4
SEA_T_4969	4
SEA_T_4974	2
SEA_T_4975	2
SEA_T_4976	4
SEA_T_4978	2, 4
SEA_T_4980	2
SEA_T_4985	4
SEA_T_4986	4
SEA_T_4987	2, 4
SEA_T_4989	2
SEA_T_4990	2
SEA_T_4995	2
SEA_T_4997	2, 5
SEA_T_4998	2, 4
SEA_T_4999	2, 4
SEA_T_5001	2, 5
SEA_T_5007	4
SEA_T_5012	2, 4, 5
SEA_T_5020	4
SEA_T_5032	2
SEA_T_5045	4
SEA_T_5049	4
SEA_T_5072	2
SEA_T_5074	2, 4
SEA_T_5077	4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_5079	4
SEA_T_5093	4
SEA_T_5103	4
SEA_T_5105	2, 4
SEA_T_5114	1, 2, 3, 4
SEA_T_5124	2, 4
SEA_T_5241	1, 2, 3, 4
SEA_T_5242	1, 2, 3, 4, 5
SEA_T_5243	2, 4
SEA_T_5244	2
SEA_T_5245	4
SEA_T_5246	1, 2, 3, 4
SEA_T_5247	2, 4
SEA_T_5248	1, 2
SEA_T_5250	2, 3, 4
SEA_T_5253	2
SEA_T_5254	2
SEA_T_5257	2
SEA_T_5258	2, 4
SEA_T_5259	1, 2, 3
SEA_T_5261	1, 2
SEA_T_5262	2, 4
SEA_T_5263	2, 3
SEA_T_5264	1, 2, 3
SEA_T_5265	1, 2, 4
SEA_T_5266	1, 2, 3, 4
SEA_T_5267	1, 2, 3
SEA_T_5268	1, 2, 3, 4
SEA_T_5269	1, 2, 4
SEA_T_5270	1, 2
SEA_T_5271	1, 2, 4
SEA_T_5272	1, 4
SEA_T_5273	1, 3
SEA_T_5274	2
SEA_T_5276	2, 3, 4

SEA_T_5277	2, 3, 4
SEA_T_5278	1, 2
SEA_T_5280	1, 2
SEA_T_5281	1, 2
SEA_T_5282	1, 2
SEA_T_5282a	1, 2
SEA_T_5283	1, 2, 3, 4
SEA_T_5284	1, 2
SEA_T_5285	1, 2
SEA_T_5287	2, 3
SEA_T_5288	2, 5
SEA_T_5289	1, 2, 3
SEA_T_5291	2
SEA_T_5293	2, 4
SEA_T_5294	1, 2, 4
SEA_T_5295	1, 4
SEA_T_5296	1, 2, 3, 4
SEA_T_5297	1, 2, 3, 4
SEA_T_5298	2
SEA_T_5300	1, 2, 4
SEA_T_5301	1, 2, 4
SEA_T_5302	2, 4
SEA_T_5303	1, 2, 3, 4
SEA_T_5304	4, 5
SEA_T_5305	2
SEA_T_5306	2
SEA_T_5308	2
SEA_T_5309	2
SEA_T_5310	1, 2, 3, 4
SEA_T_5311	3
SEA_T_5312	2, 3, 4
SEA_T_5316	1, 2
SEA_T_5317	2, 3
SEA_T_5318	2, 3
SEA_T_5320	2, 3, 4, 5

SEA_T_5321	2
SEA_T_5322	3
SEA_T_5323	1, 2, 3, 4
SEA_T_5324	3, 4
SEA_T_5325	1, 2
SEA_T_5326	1, 2
SEA_T_5327	1, 2
SEA_T_5328	1, 2
SEA_T_5329	1, 2
SEA_T_5330	1, 2
SEA_T_5331	1, 2
SEA_T_5332	1, 2, 4
SEA_T_5333	1, 2, 4
SEA_T_5334	1, 2, 3, 4
SEA_T_5335	2, 4
SEA_T_5336	1, 2, 4, 5
SEA_T_5337	2
SEA_T_5338	4
SEA_T_5339	1, 2
SEA_T_5340	1, 2
SEA_T_5341	2
SEA_T_5342	3
SEA_T_5344	1, 2, 3
SEA_T_5346	1, 2, 3, 4
SEA_T_5347	1, 2, 3
SEA_T_5348	1, 2, 3, 4
SEA_T_5349	1, 2, 3
SEA_T_5350	1, 2, 3
SEA_T_5351	1, 2
SEA_T_5352	1, 2
SEA_T_5353	1, 2
SEA_T_5354	1, 2
SEA_T_5355	1, 2
SEA_T_5356	2, 3, 4
SEA_T_5357	2, 3

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_5357a	2
SEA_T_5357e	4
SEA_T_5357g	2
SEA_T_5357f	1, 2, 3, 4
SEA_T_5358	3
SEA_T_5359	2, 3, 4
SEA_T_5360	2, 3, 4, 5
SEA_T_5361	2, 4
SEA_T_5361a	4
SEA_T_5362	4
SEA_T_5363	1, 2, 3
SEA_T_5365	1, 2, 3
SEA_T_5380	2, 3, 4
SEA_T_5381	2, 3, 4
SEA_T_5382	1, 2
SEA_T_5383	1, 2, 3
SEA_T_5384	1, 2
SEA_T_5386	2, 4
SEA_T_5388	2, 4
SEA_T_5389	1, 2, 4
SEA_T_5390	4
SEA_T_5391	2, 4
SEA_T_5393	3, 4
SEA_T_5394	3, 4
SEA_T_5395	1, 2, 3, 4
SEA_T_5396	1, 2, 3, 4
SEA_T_5397	2, 3, 4
SEA_T_5398	4
SEA_T_5404	4
SEA_T_5405	1, 2, 3, 4
SEA_T_5406	3, 4
SEA_T_5407	2, 3, 4
SEA_T_5408	2, 4
SEA_T_5408a	2, 4
SEA_T_5409	4

SEA_T_5409a	4
SEA_T_5410	1, 2
SEA_T_5411	4
SEA_T_5414	4
SEA_T_5414a	4
SEA_T_5415	4
SEA_T_5416	2, 5
SEA_T_5417	4
SEA_T_5419	3
SEA_T_5419a	4
SEA_T_5420	4
SEA_T_5421	2, 3, 4
SEA_T_5421b	4
SEA_T_5422	4
SEA_T_5423	1, 2, 3, 4
SEA_T_5423a	2, 3, 4
SEA_T_5424	4
SEA_T_5425	1, 3, 4
SEA_T_5426a	4
SEA_T_5427	4
SEA_T_5428	4
SEA_T_5429	4
SEA_T_5430	3, 4
SEA_T_5431	1, 3, 4
SEA_T_5432	4
SEA_T_5433	4
SEA_T_5434	2
SEA_T_5435	4
SEA_T_5436	4
SEA_T_5437	3
SEA_T_5438	4
SEA_T_5439	2, 3
SEA_T_5440	1, 2, 4
SEA_T_5441	4
SEA_T_5442	1, 2, 3, 4, 5

SEA_T_5443	1, 2
SEA_T_5446	4
SEA_T_5447	1, 2
SEA_T_5448	3
SEA_T_5448a	4
SEA_T_5448b	4
SEA_T_5451	1, 3, 4
SEA_T_5452	4
SEA_T_5452a	4
SEA_T_5452b	4
SEA_T_5452c	4
SEA_T_5453	4
SEA_T_5453a	4
SEA_T_5454	2, 3
SEA_T_5454a	3
SEA_T_5454b	3
SEA_T_5454c	4
SEA_T_5454d	4
SEA_T_5454e	2, 3
SEA_T_5454f	4
SEA_T_5454g	2, 3
SEA_T_5455	4
SEA_T_5456	2, 4
SEA_T_5457	4
SEA_T_5458	2, 3, 4
SEA_T_5459	2, 3
SEA_T_5460	2
SEA_T_5461	1, 2, 4
SEA_T_5462	4
SEA_T_5462a	4
SEA_T_5462b	4
SEA_T_5462c	4
SEA_T_5466	1, 2, 3, 4
SEA_T_5467	4
SEA_T_5468	3, 4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_5469	4
SEA_T_5470	4
SEA_T_5473	1, 2, 3, 4, 5
SEA_T_5475	2
SEA_T_5476	2, 4
SEA_T_5477	4
SEA_T_5478	2, 4
SEA_T_5479	2, 4, 5
SEA_T_5480	1, 2, 4
SEA_T_5482	3, 4
SEA_T_5486	4
SEA_T_5487	2, 3, 4
SEA_T_5488	2, 4
SEA_T_5490	2, 3, 4
SEA_T_5492A	1, 2, 3
SEA_T_5492C	1, 2, 3
SEA_T_5492D	2
SEA_T_5493	1, 2, 3, 4
SEA_T_5494	2, 3, 4
SEA_T_5495	2, 3, 4
SEA_T_5496	2, 3, 4
SEA_T_5497	1, 2, 3, 4
SEA_T_5498	2, 3, 4, 5
SEA_T_5498a	2, 3, 4
SEA_T_5499	4
SEA_T_5499a	1, 2, 3, 4
SEA_T_5501	2, 3, 4, 5
SEA_T_5502	4
SEA_T_5503	2, 4
SEA_T_5504	4
SEA_T_5505	2, 4
SEA_T_5506	2, 3, 4
SEA_T_5507	2, 4
SEA_T_5507a	2, 4
SEA_T_5507c	4

SEA_T_5507d	2, 4
SEA_T_5508	1, 2, 3, 4
SEA_T_5509	2, 3, 4
SEA_T_5510	2, 3, 4
SEA_T_5516	2, 4
SEA_T_5517	2
SEA_T_5518	2, 4
SEA_T_5519	2, 4
SEA_T_5520	2, 4
SEA_T_5521	1, 2, 3
SEA_T_5522	2, 3, 4
SEA_T_5524	1, 2, 3, 4, 5
SEA_T_5525	1, 2, 3
SEA_T_5526	1, 2, 3, 4
SEA_T_5527	2, 4
SEA_T_5529	4
SEA_T_5530	1, 2
SEA_T_5531	1, 2, 3
SEA_T_5532	1
SEA_T_5533	2, 3
SEA_T_5534	1, 2
SEA_T_5535	1, 2
SEA_T_5536	2, 3
SEA_T_5537	2, 3
SEA_T_5539	1, 2, 3, 4, 5
SEA_T_5539a	2
SEA_T_5540	1, 2, 3, 4
SEA_T_5541	2, 3, 4
SEA_T_5541a	2
SEA_T_5547	2, 4
SEA_T_5548	2, 4, 5
SEA_T_5548a	2, 4
SEA_T_5548b	2, 4
SEA_T_5548c	1, 2, 3, 4
SEA_T_5549	1, 2, 3, 4

SEA_T_5549a	2
SEA_T_5552	4
SEA_T_5562	1, 2, 3, 4
SEA_T_5573	3, 4
SEA_T_5576	2, 4
SEA_T_5577	2, 3, 4
SEA_T_5578	2
SEA_T_5588	2, 3, 4
SEA_T_5588b	2, 3
SEA_T_5589	2
SEA_T_5592	1, 2, 3
SEA_T_5596	2, 3
SEA_T_5598	1, 2, 3
SEA_T_5600	2, 3
SEA_T_5601	2, 3
SEA_T_5602	2, 3
SEA_T_5603	2, 3
SEA_T_5604	2, 3
SEA_T_5605	2, 3
SEA_T_5607	2, 3
SEA_T_5608	2
SEA_T_5609	2, 3
SEA_T_5610	2, 3
SEA_T_5611	2, 3
SEA_T_5612	2
SEA_T_5615	2
SEA_T_5616	2, 4
SEA_T_5617	2, 3
SEA_T_5618	2, 3
SEA_T_5620	2
SEA_T_5621	2
SEA_T_5624	2, 3
SEA_T_5625	2, 3
SEA_T_5626	2, 3
SEA_T_5629	2, 3

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_5633	3
SEA_T_5634	2, 3
SEA_T_5635	2, 3
SEA_T_5636	2, 3
SEA_T_5637	1, 2, 3
SEA_T_5638	2, 3
SEA_T_5639	1, 2, 3
SEA_T_5640	2, 3
SEA_T_5646	2, 3
SEA_T_5649	3
SEA_T_5652	1
SEA_T_5653	1, 3
SEA_T_5654	3
SEA_T_5655	3
SEA_T_5656	3
SEA_T_5660	2, 4
SEA_T_5661	2
SEA_T_5665	2, 3, 4
SEA_T_5666	2
SEA_T_5667	2
SEA_T_5669	2, 3
SEA_T_5670	2, 3
SEA_T_5672	2
SEA_T_5674	2
SEA_T_5675	2, 3
SEA_T_5676	2, 3
SEA_T_5677	2, 3
SEA_T_5679	2
SEA_T_5680	2, 3
SEA_T_5683	2
SEA_T_5687	2
SEA_T_5688	2
SEA_T_5697	2
SEA_T_5698	2
SEA_T_5702	2

SEA_T_5703	2, 4
SEA_T_5704	2
SEA_T_5705	2, 4
SEA_T_5706	2, 4
SEA_T_5707	2
SEA_T_5708	2, 3
SEA_T_5709	3
SEA_T_5710	2, 3
SEA_T_5711	2, 3
SEA_T_5714	4
SEA_T_5715	2, 3, 4
SEA_T_5716	4
SEA_T_5720	2, 4
SEA_T_5721	2
SEA_T_5722	2, 4
SEA_T_5723	2
SEA_T_5726	2, 4
SEA_T_5727	2, 4
SEA_T_5728	2, 4
SEA_T_5729	2, 4
SEA_T_5730	2, 4
SEA_T_5731	4
SEA_T_5733	3
SEA_T_5734	3
SEA_T_5735	4
SEA_T_5737	4
SEA_T_5739	3
SEA_T_5748	2
SEA_T_5753	2
SEA_T_5763	2
SEA_T_5768	2, 3, 4
SEA_T_5769	2
SEA_T_5772	2
SEA_T_5773	2
SEA_T_5774	2

SEA_T_5775	2
SEA_T_5776	2
SEA_T_5790	2, 3, 4
SEA_T_5813	1, 2, 3, 4
SEA_T_5814	1, 2, 3, 4
SEA_T_5815	2, 4
SEA_T_5816	3, 4
SEA_T_5817	1, 2, 4
SEA_T_5818	1, 2
SEA_T_5819	1, 2, 3, 4
SEA_T_5820	2
SEA_T_5821	3, 4
SEA_T_5822	2
SEA_T_5831	2
SEA_T_5832	2
SEA_T_5834	2, 3, 4
SEA_T_5835	2, 3, 4
SEA_T_5838	4
SEA_T_5839	3
SEA_T_5840	3
SEA_T_5842	3
SEA_T_5847	3, 4
SEA_T_5848	3, 4
SEA_T_5849	2
SEA_T_5850	2, 3
SEA_T_5854	4
SEA_T_5858	2, 3
SEA_T_5859	3
SEA_T_5861	4
SEA_T_5863	3
SEA_T_5872	3
SEA_T_5873	3
SEA_T_5874	3
SEA_T_5879	2
SEA_T_5881	2

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_5882	2
SEA_T_5883	2
SEA_T_5884	2
SEA_T_5887	2
SEA_T_5889	2
SEA_T_5892	2
SEA_T_5896	2
SEA_T_5898	2, 3
SEA_T_5899	2, 3
SEA_T_5900	2
SEA_T_5901	2, 3
SEA_T_5902	2, 3
SEA_T_5903	3
SEA_T_5904	2, 3
SEA_T_5905	3
SEA_T_5906	2, 3
SEA_T_5907	2, 3
SEA_T_5908	2, 3
SEA_T_5909	2, 3
SEA_T_5910	2, 3
SEA_T_5911	2, 3
SEA_T_5912	2, 3
SEA_T_5913	2, 3
SEA_T_5914	2
SEA_T_5915	2, 4
SEA_T_5916	4
SEA_T_5919	4
SEA_T_5921	2
SEA_T_5922	2
SEA_T_5923	2
SEA_T_5924	2
SEA_T_5926	2, 3
SEA_T_5928	2, 3
SEA_T_5929	2, 3
SEA_T_5930	2

SEA_T_5934	1, 2
SEA_T_5940	1, 2
SEA_T_5941	3
SEA_T_5942	3
SEA_T_5943	3
SEA_T_5944	3
SEA_T_5945	3
SEA_T_5946	3
SEA_T_5947	3
SEA_T_5950	2
SEA_T_5956	2, 3, 4
SEA_T_5958	2
SEA_T_5959	2
SEA_T_5964	2, 3
SEA_T_5966	2, 3
SEA_T_5967	2
SEA_T_5968	2
SEA_T_5969	2
SEA_T_5970	2
SEA_T_5971	2
SEA_T_5974	2, 3
SEA_T_5975	2, 3
SEA_T_5976	2, 3
SEA_T_5982	2
SEA_T_5983	2, 3
SEA_T_5984	2, 3, 4
SEA_T_5985	2, 3, 4
SEA_T_5997	2, 3
SEA_T_5998	2, 3
SEA_T_5999	3
SEA_T_6000	2, 3
SEA_T_6001	2
SEA_T_6002	4
SEA_T_6003	2, 3
SEA_T_6004	3

SEA_T_6008	2
SEA_T_6009	2, 4
SEA_T_6011	2
SEA_T_6016	5
SEA_T_6017	2
SEA_T_6020	2
SEA_T_6022A	4
SEA_T_6025	1, 2
SEA_T_6029	1, 2
SEA_T_6032	1, 2
SEA_T_6033	1, 2
SEA_T_6034	2
SEA_T_6037	1, 2
SEA_T_6041	1, 2
SEA_T_6045	2, 5
SEA_T_6048	2
SEA_T_6049	2, 4
SEA_T_6050	2
SEA_T_6051	2
SEA_T_6052	4
SEA_T_6055	2
SEA_T_6059	2, 4
SEA_T_6060	1, 2
SEA_T_6062	4
SEA_T_6063	2
SEA_T_6064	2
SEA_T_6065	1, 2
SEA_T_6068	1, 2, 4
SEA_T_6074	4, 5
SEA_T_6088	3, 4
SEA_T_6089	3, 4
SEA_T_6096	2
SEA_T_6097	2
SEA_T_6098	2
SEA_T_6103	2

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_6103a	2, 4
SEA_T_6104	4
SEA_T_6111	2
SEA_T_6113	2, 4
SEA_T_6114	1, 2
SEA_T_6116	1, 2
SEA_T_6117	1, 2
SEA_T_6117a	1, 2
SEA_T_6118	1, 2
SEA_T_6119	2, 4
SEA_T_6120	1, 2
SEA_T_6121	1, 2, 4
SEA_T_6122	1, 2
SEA_T_6123	1, 2
SEA_T_6124	1, 2
SEA_T_6125	1, 2
SEA_T_6126	1, 2
SEA_T_6127	1, 2
SEA_T_6128	1, 2
SEA_T_6129	1, 2
SEA_T_6130	1, 2
SEA_T_6131	1, 2
SEA_T_6132	2, 4
SEA_T_6133	1, 2
SEA_T_6134	1, 2
SEA_T_6136	1, 2
SEA_T_6137	1, 2
SEA_T_6138	1, 2, 3
SEA_T_6140	1, 2
SEA_T_6146	1, 2, 3
SEA_T_6149	2, 3
SEA_T_6153	1, 2, 3
SEA_T_6155	1, 2, 3
SEA_T_6160	1, 2
SEA_T_6165	1, 2

SEA_T_6168	1, 2
SEA_T_6169	1, 2, 3, 4
SEA_T_6170	2
SEA_T_6171	1, 4
SEA_T_6171A	3
SEA_T_6172	4
SEA_T_6173	1, 2
SEA_T_6174	1, 2, 3
SEA_T_6175	4
SEA_T_6176	1, 2
SEA_T_6177	1, 2
SEA_T_6177a	1, 2, 4
SEA_T_6178	1, 2
SEA_T_6179	1, 2, 5
SEA_T_6180	1, 2
SEA_T_6181	1, 2, 4
SEA_T_6182	1, 2
SEA_T_6183	1, 2, 4
SEA_T_6184	2
SEA_T_6186	2, 3
SEA_T_6187	2
SEA_T_6188	1, 2
SEA_T_6189	1, 2, 3
SEA_T_6190	1, 2, 4
SEA_T_6191	2, 4
SEA_T_6192	4
SEA_T_6193	2, 4
SEA_T_6202	2, 3, 4
SEA_T_6205	1, 2
SEA_T_6206	1, 2, 4
SEA_T_6207	1, 2
SEA_T_6209	2, 3, 4
SEA_T_6211	3
SEA_T_6213	2
SEA_T_6214	1, 2

SEA_T_6215	1, 2
SEA_T_6216	1, 2
SEA_T_6218	1, 2
SEA_T_6221	1, 2
SEA_T_6228	2
SEA_T_6229	2
SEA_T_6234	1, 2
SEA_T_6235	1, 2
SEA_T_6236	1, 2
SEA_T_6237	1, 2, 4
SEA_T_6238	1, 2
SEA_T_6239	1, 2
SEA_T_6243	4
SEA_T_6244	2, 4
SEA_T_6244a	4
SEA_T_6245	4
SEA_T_6246	2
SEA_T_6247	2
SEA_T_6249	2, 5
SEA_T_6257d	1, 3
SEA_T_6261	1, 3
SEA_T_6261b	1, 4
SEA_T_6263	2, 4
SEA_T_6264	2
SEA_T_6268	2
SEA_T_6270	2
SEA_T_6272	2, 4
SEA_T_6274	4
SEA_T_6277A	3, 4
SEA_T_6277B	3, 4
SEA_T_6279	1, 2, 3
SEA_T_6282	1
SEA_T_6284	1
SEA_T_6285	1, 2
SEA_T_6289	1, 3

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_6290	2
SEA_T_6293	3
SEA_T_6298	1, 2, 4
SEA_T_6301	4
SEA_T_6303	1, 2, 3, 4
SEA_T_6304	3
SEA_T_6310	1, 2, 3
SEA_T_6310a	1
SEA_T_6311	1, 3
SEA_T_6319	3, 4
SEA_T_6320	4
SEA_T_6322	1, 4
SEA_T_6323	3
SEA_T_6324	4
SEA_T_6325	1
SEA_T_6327	1, 3
SEA_T_6328a	2, 3
SEA_T_6328d	2, 3
SEA_T_6329	1, 2
SEA_T_6334	2, 3
SEA_T_6336	3
SEA_T_6337	3
SEA_T_6339	2, 3
SEA_T_6345	3
SEA_T_6346	2, 3
SEA_T_6349	4
SEA_T_6353	3
SEA_T_6358	1, 2, 3
SEA_T_6359	3
SEA_T_6360	1, 2
SEA_T_6361a	2, 4, 5
SEA_T_6363a	2, 3, 4, 5
SEA_T_6363b	2, 4
SEA_T_6364	1, 2, 3
SEA_T_6364a	2, 3, 4

SEA_T_6366a	2, 4
SEA_T_6370	2
SEA_T_6370a	3
SEA_T_6370b	2, 4
SEA_T_6371	3, 4
SEA_T_6372	1, 2, 3
SEA_T_6373a	2, 4
SEA_T_6375	2, 4
SEA_T_6376	2, 3, 4
SEA_T_6377	2
SEA_T_6378	1, 2, 3
SEA_T_6379	1
SEA_T_6380	2, 4
SEA_T_6380a	2, 3, 4, 5
SEA_T_6381	2
SEA_T_6382	2, 3, 4
SEA_T_6383	1, 2, 3, 4
SEA_T_6384	2
SEA_T_6384a	2
SEA_T_6385	4
SEA_T_6387	3, 4
SEA_T_6388	4
SEA_T_6388a	3, 4
SEA_T_6388c	4
SEA_T_6388e	2, 4
SEA_T_6389	1, 2, 3, 4
SEA_T_6390	4
SEA_T_6390a	2, 4, 5
SEA_T_6391	2, 3, 4
SEA_T_6392	4
SEA_T_6393	1, 2, 3, 4
SEA_T_6395	2, 4
SEA_T_6396C	2
SEA_T_6397	1
SEA_T_6398	2, 3, 4

SEA_T_6399	1, 2, 3, 4
SEA_T_6401	2, 4
SEA_T_6402	2, 3
SEA_T_6403	2
SEA_T_6404	3, 4
SEA_T_6405	4
SEA_T_6406	2, 4
SEA_T_6407	1, 3, 4
SEA_T_6409	1, 4
SEA_T_6410	1, 3, 4
SEA_T_6411	3, 4
SEA_T_6412	1, 2, 4
SEA_T_6414	2, 3, 4
SEA_T_6416	1, 2, 3
SEA_T_6416a	4
SEA_T_6418	3, 4
SEA_T_6419	2, 3
SEA_T_6420	4
SEA_T_6420a	4
SEA_T_6421	4
SEA_T_6422	4
SEA_T_6423	4
SEA_T_6424	4
SEA_T_6425	2
SEA_T_6426	2, 4
SEA_T_6427	1, 3, 4
SEA_T_6429	1, 3
SEA_T_6431	1, 2, 3, 4, 5
SEA_T_6432	3, 4, 5
SEA_T_6435	2
SEA_T_6436	1, 2, 3, 4
SEA_T_6436a	2
SEA_T_6438	2, 3, 4
SEA_T_6439	1, 2, 4
SEA_T_6441	1, 2, 3, 4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_6442	1, 4
SEA_T_6444	2, 4
SEA_T_6445	4
SEA_T_6446	2
SEA_T_6447	2, 3
SEA_T_6448	4
SEA_T_6449	2
SEA_T_6450	2, 3
SEA_T_6451	1, 2, 3, 4, 5
SEA_T_6452	1, 3
SEA_T_6453	1, 2, 3
SEA_T_6454	2, 3
SEA_T_6456	2, 3
SEA_T_6458	2, 5
SEA_T_6459	1, 2, 3, 4
SEA_T_6459b	2, 4
SEA_T_6461	2
SEA_T_6462	2, 3, 4
SEA_T_6463	2, 3, 4, 5
SEA_T_6464	2
SEA_T_6466	2, 4
SEA_T_6467	2, 4
SEA_T_6468	2, 3, 4
SEA_T_6469	2, 3, 4
SEA_T_6469a	2, 3, 4
SEA_T_6470	2, 3, 4
SEA_T_6471	2, 3, 4
SEA_T_6473	2, 3, 4
SEA_T_6474	1, 2, 4
SEA_T_6475	1, 2
SEA_T_6477	4
SEA_T_6479	3
SEA_T_6480	2, 3
SEA_T_6481	4
SEA_T_6482	4

SEA_T_6483	4
SEA_T_6484	3
SEA_T_6486	2, 3, 4
SEA_T_6490	4
SEA_T_6491	1, 2, 4
SEA_T_6492	1, 3, 4
SEA_T_6493	2, 3
SEA_T_6494	1, 2, 4
SEA_T_6495	3
SEA_T_6496	2, 4
SEA_T_6498	1, 2
SEA_T_6499	1, 2, 3, 4
SEA_T_6500	2
SEA_T_6501	1, 2, 4
SEA_T_6502	4
SEA_T_6503	1, 2, 3
SEA_T_6504	1, 2, 3
SEA_T_6505	1, 2, 4
SEA_T_6507	1, 2
SEA_T_6508	1, 2, 4
SEA_T_6509	3
SEA_T_6510	1, 3
SEA_T_6511	1, 2
SEA_T_6512	1, 2
SEA_T_6513	1, 2, 3, 4
SEA_T_6514	1, 2, 3, 4
SEA_T_6515	2, 3, 4
SEA_T_6517	3, 4
SEA_T_6517a	2, 3
SEA_T_6518	1, 2, 4
SEA_T_6519	1, 2, 3, 4
SEA_T_6520	1, 2
SEA_T_6521	1, 2, 3
SEA_T_6522	1, 2, 3, 4
SEA_T_6523	1, 2, 3, 4

SEA_T_6524	2, 3, 4
SEA_T_6525	2, 3, 4
SEA_T_6526	2, 3, 4
SEA_T_6527	1, 2, 3, 4
SEA_T_6528	2, 4
SEA_T_6529	1, 2, 3, 4
SEA_T_6530	2, 3, 4
SEA_T_6532	1, 2, 3
SEA_T_6533	1, 2, 3
SEA_T_6535	1, 2
SEA_T_6536	2
SEA_T_6537	1, 2, 3
SEA_T_6539	2, 4
SEA_T_6540	2, 4
SEA_T_6543	1, 2, 3
SEA_T_6544	2, 3, 4, 5
SEA_T_6545	2, 3, 4, 5
SEA_T_6551	1, 2
SEA_T_6552	1, 2, 3, 4
SEA_T_6553	1, 2, 4
SEA_T_6553a	1, 2
SEA_T_6555	1, 2, 3
SEA_T_6556	1, 2, 3
SEA_T_6557	1, 4
SEA_T_6558	1, 2, 3
SEA_T_6563	2, 3, 4
SEA_T_6564	2
SEA_T_6565	1, 2, 3
SEA_T_6567	1, 2, 3, 4
SEA_T_6568	4
SEA_T_6569	2, 3
SEA_T_6570	1, 2, 3
SEA_T_6571	2, 3, 4
SEA_T_6572	1, 2, 4
SEA_T_6573	1, 2

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_6574	1, 2, 3
SEA_T_6575	1, 2, 3, 4
SEA_T_6576	1, 2, 3, 4
SEA_T_6577	1, 2, 3
SEA_T_6578	1, 2, 3
SEA_T_6579	1, 2, 3
SEA_T_6582	2, 3, 4
SEA_T_6583	3, 4
SEA_T_6584	1, 2, 3
SEA_T_6585	1, 2
SEA_T_6586	1, 2
SEA_T_6587	1, 2, 4
SEA_T_6588	1, 2
SEA_T_6589	2, 3, 4
SEA_T_6592	4
SEA_T_6593	4
SEA_T_6594	3, 4, 5
SEA_T_6595	1, 2, 3, 4
SEA_T_6597	3, 4
SEA_T_6598	2, 3, 4
SEA_T_6599	2, 3
SEA_T_6600	1, 2, 3, 4
SEA_T_6601	1, 2, 3, 4
SEA_T_6602	1, 2, 3, 4
SEA_T_6603	1, 2, 3, 4
SEA_T_6605	2, 3
SEA_T_6606	2, 3, 4
SEA_T_6607	1, 2, 3
SEA_T_6608	1, 2, 3
SEA_T_6609	2, 3
SEA_T_6610	3
SEA_T_6612	1, 2, 3
SEA_T_6613	1, 2, 3
SEA_T_6614	3
SEA_T_6615a	4

SEA_T_6616	3
SEA_T_6617	4
SEA_T_6618	2, 4
SEA_T_6619a	4
SEA_T_6620	4
SEA_T_6621	1, 3
SEA_T_6622	1, 2, 3
SEA_T_6623	1, 2, 3, 4
SEA_T_6624	2
SEA_T_6625	2, 3, 4
SEA_T_6626	1, 2
SEA_T_6627	1, 2, 3
SEA_T_6628	4
SEA_T_6629	2, 4
SEA_T_6630	4
SEA_T_6631	1, 2, 3
SEA_T_6632	1, 2, 3, 4
SEA_T_6634	2, 4, 5
SEA_T_6635	2, 4, 5
SEA_T_6636	1, 2, 3, 4, 5
SEA_T_6637	2, 4
SEA_T_6638	1, 2
SEA_T_6639	1, 2, 3, 4
SEA_T_6641	2, 3, 4
SEA_T_6642	1, 2, 4
SEA_T_6643	1, 2, 4
SEA_T_6644	1, 2, 4
SEA_T_6646	2, 4
SEA_T_6647	1, 2, 3, 4
SEA_T_6648	2, 3, 4
SEA_T_6649	4
SEA_T_6650	1, 2
SEA_T_6651	1, 4
SEA_T_6652	1, 2, 3, 4
SEA_T_6652a	1, 2

SEA_T_6652b	2
SEA_T_6654	1, 2, 3, 4
SEA_T_6655	1, 2, 3, 4
SEA_T_6656	2, 3, 4
SEA_T_6660	3
SEA_T_6664	4
SEA_T_6665	3, 4
SEA_T_6669	1, 2, 3, 4
SEA_T_6671	2, 3, 4
SEA_T_6672	2, 4
SEA_T_6673	3, 4
SEA_T_6674	2
SEA_T_6674a	2, 3, 4
SEA_T_6675	4
SEA_T_6676	1, 2, 4
SEA_T_6677	1, 2, 3
SEA_T_6678	1, 2, 3, 4
SEA_T_6680B	2, 4
SEA_T_6681	1, 2, 3
SEA_T_6682	1, 2, 3, 4
SEA_T_6683	2, 4
SEA_T_6684	1, 2, 3, 4, 5
SEA_T_6685	1, 2, 3
SEA_T_6687	4
SEA_T_6689	3
SEA_T_6690	2, 3, 4
SEA_T_6691	2, 4
SEA_T_6692	2
SEA_T_6693	1, 2, 3, 4
SEA_T_6694	1, 2, 3, 4
SEA_T_6695	1, 2, 3
SEA_T_6698	1, 2, 3
SEA_T_6699	1, 2
SEA_T_6700	1, 2, 3
SEA_T_6701	3

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_6703	2
SEA_T_6705	3
SEA_T_6706	2, 3, 4
SEA_T_6707	1, 2, 3, 4
SEA_T_6708	1, 2, 3
SEA_T_6709	1, 2
SEA_T_6710	3
SEA_T_6710a	3, 4
SEA_T_6712	1, 2
SEA_T_6713	3
SEA_T_6714	4
SEA_T_6715	1, 3
SEA_T_6716	2
SEA_T_6717	1
SEA_T_6718	1, 3
SEA_T_6719	4
SEA_T_6723	3, 4
SEA_T_6724	3
SEA_T_6725	1, 2, 3, 4
SEA_T_6726	1, 2, 4
SEA_T_6727A	1, 2, 4
SEA_T_6727B	2
SEA_T_6728	2, 4
SEA_T_6729	2, 4
SEA_T_6729a	4
SEA_T_6729d	4, 2
SEA_T_6730	1, 2
SEA_T_6731	2, 4
SEA_T_6732	1, 2, 3, 4
SEA_T_6735	1, 2
SEA_T_6736	1, 2
SEA_T_6737	1, 2, 3, 4, 5
SEA_T_6738	1, 2, 3
SEA_T_6739	1, 3, 4
SEA_T_6740	2, 3, 4

SEA_T_6741	3
SEA_T_6743	1, 2, 3, 4, 5
SEA_T_6743b	2, 3
SEA_T_6744	3
SEA_T_6745	2, 4
SEA_T_6746	1, 3, 4
SEA_T_6746a	4
SEA_T_6747	2
SEA_T_6747a	2, 4
SEA_T_6748	1, 2, 3, 4, 5
SEA_T_6750	2, 4
SEA_T_6751	3, 4
SEA_T_6752	3
SEA_T_6760	2
SEA_T_6761	4
SEA_T_6761a	2
SEA_T_6761b	2
SEA_T_6763	1, 2, 3
SEA_T_6765	1, 3
SEA_T_6766	1, 2, 3, 4
SEA_T_6767	2
SEA_T_6767a	2, 3, 4
SEA_T_6768	1, 2, 3
SEA_T_6769	1, 2, 3
SEA_T_6770	2, 3
SEA_T_6771	4
SEA_T_6773	1, 2, 3
SEA_T_6774	1, 3
SEA_T_6775	1, 2, 3
SEA_T_6776	1, 2, 3
SEA_T_6778	1, 4
SEA_T_6779	2, 3
SEA_T_6780	4
SEA_T_6780a	2
SEA_T_6781	1, 2, 3

SEA_T_6781a	1
SEA_T_6782	2, 4
SEA_T_6783	2, 3
SEA_T_6784	1
SEA_T_6784b	2, 4
SEA_T_6788	2
SEA_T_6791	4
SEA_T_6792	4
SEA_T_6793	4
SEA_T_6800	3, 4
SEA_T_6804	2
SEA_T_6808	3, 4
SEA_T_6813	3, 4
SEA_T_6821	4
SEA_T_6823	3, 4
SEA_T_6824	1, 3
SEA_T_6825	4
SEA_T_6826	1, 2
SEA_T_6830	4
SEA_T_6834	4
SEA_T_6835	3, 4
SEA_T_6836a	3, 4
SEA_T_6840	2, 4
SEA_T_6841	1, 2, 3
SEA_T_6846	4
SEA_T_6850	3, 4
SEA_T_6851	1, 2, 3
SEA_T_6852	1, 2
SEA_T_6853	2
SEA_T_6854	2
SEA_T_6856	1, 2, 3
SEA_T_6857	1, 2
SEA_T_6858	1, 2, 4
SEA_T_6859	1, 2
SEA_T_6860	4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_6862	2, 3
SEA_T_6863	2
SEA_T_6865	2
SEA_T_6866	1, 2, 3
SEA_T_6867	2, 3
SEA_T_6868	1, 2, 3
SEA_T_6869	4
SEA_T_6870	3, 4
SEA_T_6871	3, 4
SEA_T_6873	3, 4
SEA_T_6875	4
SEA_T_6876	2, 3, 4
SEA_T_6881	2, 3
SEA_T_6886	1, 2, 3
SEA_T_6888	3
SEA_T_6890	1, 2, 4
SEA_T_6893	4
SEA_T_6894	3, 4
SEA_T_6895	3, 4
SEA_T_6896	2, 3, 4
SEA_T_6897	3, 4
SEA_T_6898	1, 2, 4, 5
SEA_T_6899	2, 3
SEA_T_6900	1, 2, 3
SEA_T_6901	1, 2, 4
SEA_T_6902	2, 4
SEA_T_6903	1, 2
SEA_T_6904	2
SEA_T_6905	1
SEA_T_6906	1, 2
SEA_T_6907	1, 2
SEA_T_6911	4
SEA_T_6912	3, 4
SEA_T_6913	1, 2, 4
SEA_T_6914	2, 3

SEA_T_6915	1, 2, 3, 5
SEA_T_6916	2, 3, 4, 5
SEA_T_6917	2, 3, 4
SEA_T_6918a	4
SEA_T_6918b	4
SEA_T_6920	2, 3, 4
SEA_T_6921	1, 3
SEA_T_6922	4
SEA_T_6923	3
SEA_T_6926	1, 3
SEA_T_6927	1, 2, 3, 4
SEA_T_6928	3
SEA_T_6929	1
SEA_T_6930	4
SEA_T_6931	1, 3
SEA_T_6934	4
SEA_T_6936	2
SEA_T_6938	1, 2
SEA_T_6939	1, 2
SEA_T_6940	1, 2, 4
SEA_T_6942	1, 2, 3, 4
SEA_T_6943	2, 3
SEA_T_6945	2, 3, 4
SEA_T_6946	2, 3, 4
SEA_T_6947	3
SEA_T_6948	2, 3, 4
SEA_T_6949	2, 3
SEA_T_6951	2
SEA_T_6952	1, 2, 3
SEA_T_6953	3
SEA_T_6954	3
SEA_T_6955	3
SEA_T_6961	2, 3, 4
SEA_T_6961a	4
SEA_T_6962	4

SEA_T_6966	1, 2
SEA_T_6969	1, 2, 3
SEA_T_6972	1, 2
SEA_T_6974	2
SEA_T_6975	2
SEA_T_6979	1, 4
SEA_T_6980	1, 4
SEA_T_6981	2
SEA_T_6984	2, 5
SEA_T_6985	4
SEA_T_6986	4
SEA_T_6987	4
SEA_T_6988	4
SEA_T_6989	2, 3, 4
SEA_T_6994	3, 5
SEA_T_6995	2, 4
SEA_T_6996	2, 4
SEA_T_6997	2
SEA_T_6998	3, 4
SEA_T_6999l	2, 4
SEA_T_6999m	2, 3, 4
SEA_T_6999n	2, 4
SEA_T_7000	3, 4
SEA_T_7000a	2, 3
SEA_T_7001	2, 3, 4
SEA_T_7002	2
SEA_T_7002a	4
SEA_T_7003	2, 4
SEA_T_7004	2, 4
SEA_T_7004a	4
SEA_T_7005	2
SEA_T_7005a	2
SEA_T_7006	2, 4
SEA_T_7007	2, 4
SEA_T_7009	4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_7010	2, 3, 4
SEA_T_7011	2, 3, 4
SEA_T_7012	2
SEA_T_7013	2
SEA_T_7014	2
SEA_T_7015	2
SEA_T_7016	2
SEA_T_7017	2, 3
SEA_T_7018	4
SEA_T_7019	2
SEA_T_7021	2
SEA_T_7023	2
SEA_T_7024	3, 4
SEA_T_7029	3
SEA_T_7030	2, 4
SEA_T_7031	2, 3, 4
SEA_T_7032	2, 3, 4
SEA_T_7033	3
SEA_T_7034	1, 2, 3
SEA_T_7036	1, 2, 3
SEA_T_7037	1
SEA_T_7038	2, 3
SEA_T_8001	1, 2
SEA_T_8002	1, 2, 4
SEA_T_8003	4
SEA_T_8007	4
SEA_T_8010	4
SEA_T_8013	4
SEA_T_8015	2
SEA_T_8016	1, 2, 4
SEA_T_8018	2
SEA_T_8020	2, 4
SEA_T_8022	2
SEA_T_8023	2
SEA_T_8027	2

SEA_T_8028	2
SEA_T_8029	4
SEA_T_8030	1
SEA_T_8032	1
SEA_T_8035	1, 2, 4
SEA_T_8036	1, 2
SEA_T_8038	5
SEA_T_8039	2
SEA_T_8040	2
SEA_T_8041	1, 2, 4
SEA_T_8042	1, 2
SEA_T_8045	4
SEA_T_8047	2, 4
SEA_T_8048	1, 2, 4
SEA_T_8049	4
SEA_T_8051	1, 2, 4
SEA_T_8053	1, 2, 4
SEA_T_8056	1, 2
SEA_T_8057	1, 2
SEA_T_8058	1, 2
SEA_T_8064	4
SEA_T_8065	2, 4
SEA_T_8073	4
SEA_T_8074	4
SEA_T_8075	2
SEA_T_8078	2, 4
SEA_T_8079	2, 4
SEA_T_8080	2, 3, 5
SEA_T_8081	2, 4
SEA_T_8082	2
SEA_T_8084	2
SEA_T_8087	4
SEA_T_8090	4
SEA_T_8091A	3, 4
SEA_T_8091B	4

SEA_T_8093	4
SEA_T_8094	3, 4
SEA_T_8097	4
SEA_T_8100	1, 2, 3, 4
SEA_T_8102	1, 2, 4
SEA_T_8103	1, 2, 4
SEA_T_8104	1, 2, 3, 4
SEA_T_8105	2, 4
SEA_T_8106	2, 4
SEA_T_8107	2, 4
SEA_T_8108	4
SEA_T_8109	2
SEA_T_8110	1, 2, 3, 4
SEA_T_8111	1, 2
SEA_T_8112	1
SEA_T_8114	2, 3, 4
SEA_T_8115	4
SEA_T_8116	1, 2, 3
SEA_T_8117	2, 5
SEA_T_8119	1, 2, 3
SEA_T_8120	2
SEA_T_8124	2, 4
SEA_T_8125	1
SEA_T_8127	4
SEA_T_8128	2, 3
SEA_T_8129	4, 5
SEA_T_8130	3, 4
SEA_T_8131	3, 4, 5
SEA_T_8132	4, 5
SEA_T_8133	3
SEA_T_8134	3
SEA_T_8135	1, 2, 3
SEA_T_8136	2, 3
SEA_T_8137	4
SEA_T_8139	4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_8140	1, 2, 4, 5
SEA_T_8141	1, 2
SEA_T_8142	1, 2
SEA_T_8143	1, 2, 3
SEA_T_8144	1, 2, 3
SEA_T_8145	1, 3, 4
SEA_T_8146	1
SEA_T_8147	1
SEA_T_8150	1, 2
SEA_T_8151	1, 2, 4
SEA_T_8152	1
SEA_T_8153	1
SEA_T_8155	1
SEA_T_8156	1
SEA_T_8157	1, 2, 3, 5
SEA_T_8158	2
SEA_T_8160	2, 4
SEA_T_8161	1, 2, 3
SEA_T_8162	1, 3
SEA_T_8164	4
SEA_T_8165	1, 2, 3
SEA_T_8166	1, 2
SEA_T_8169	1, 2, 3, 4, 5
SEA_T_8170	1, 2, 3, 4, 5
SEA_T_8171	1, 2, 3
SEA_T_8172	2, 4
SEA_T_8174	2
SEA_T_8176	1, 2, 4
SEA_T_8177	1, 2, 4
SEA_T_8178	1, 2
SEA_T_8179	1, 2
SEA_T_8180	2, 3, 4, 5
SEA_T_8183	1, 2
SEA_T_8193	3, 4
SEA_T_8198	1, 2

SEA_T_8200	4
SEA_T_8201	1, 2, 3
SEA_T_8203	4
SEA_T_8204	1, 2
SEA_T_8205	4
SEA_T_8206	1, 2
SEA_T_8207	1, 2
SEA_T_8208	2
SEA_T_8210	1, 2
SEA_T_8212	1, 2
SEA_T_8213	1
SEA_T_8214	1, 2, 4
SEA_T_8215	1, 2, 4
SEA_T_8220	1, 2
SEA_T_8221	1, 2
SEA_T_8222	1, 2
SEA_T_8223	1, 2
SEA_T_8224	1, 2, 4
SEA_T_8225	1, 2
SEA_T_8226	1, 2
SEA_T_8227	1, 2
SEA_T_8228	1, 2
SEA_T_8229	1, 2
SEA_T_8230	2, 3
SEA_T_8236	1, 2
SEA_T_8237	1, 2
SEA_T_8238	1, 2, 4
SEA_T_8240	2
SEA_T_8242	1, 2
SEA_T_8245	1, 2
SEA_T_8246	1, 2
SEA_T_8247	1, 2
SEA_T_8248	1, 2
SEA_T_8249	1, 2
SEA_T_8250	1, 2

SEA_T_8251	1, 2
SEA_T_8252	1, 2
SEA_T_8253	1, 2, 4
SEA_T_8254	1, 2
SEA_T_8255	1, 2
SEA_T_8256	1, 2, 4
SEA_T_8259	4
SEA_T_8268	1, 2, 3
SEA_T_8269	4
SEA_T_8278	4
SEA_T_8284	4
SEA_T_8285	2, 4
SEA_T_8287	2, 3
SEA_T_8289	3, 4
SEA_T_8291	3, 4, 5
SEA_T_8292	2, 4
SEA_T_8293	3, 4
SEA_T_8294	2, 3, 4
SEA_T_8295	1, 2, 3, 4
SEA_T_8296	1, 3
SEA_T_8297	1, 2, 3
SEA_T_8298	1, 2, 3
SEA_T_8299	1, 2, 3
SEA_T_8300	1, 2, 3, 4
SEA_T_8301	4
SEA_T_8302	1, 2
SEA_T_8303	2, 4
SEA_T_8305	2
SEA_T_8306	1, 4
SEA_T_8307	1, 2
SEA_T_8308	1, 3
SEA_T_8310	3
SEA_T_8311	2, 4
SEA_T_8312	2, 3
SEA_T_8313	2, 4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_8315	2, 3
SEA_T_8316	3, 4, 5
SEA_T_8317	1, 2
SEA_T_8319	3, 4
SEA_T_8320	2
SEA_T_8321	2
SEA_T_8322	2
SEA_T_8323	2
SEA_T_8324	4
SEA_T_8327	1, 2
SEA_T_8328	4
SEA_T_8330	2
SEA_T_8332	1, 2, 3
SEA_T_8334	3, 4, 5
SEA_T_8337	4
SEA_T_8338	1, 2, 3
SEA_T_8339	4
SEA_T_8340	1, 2, 3
SEA_T_8343	1, 2, 3
SEA_T_8347	4
SEA_T_8351	2, 4
SEA_T_8352	2, 3, 4
SEA_T_8353	4
SEA_T_8354	2
SEA_T_8355A	1, 2, 3
SEA_T_8355B	1, 2, 3
SEA_T_8355C	1, 2, 3
SEA_T_8356	2, 4
SEA_T_8357	2
SEA_T_8360	1, 2, 3, 5
SEA_T_8362	1, 2, 3, 5
SEA_T_8364	2, 4
SEA_T_8365	2, 4
SEA_T_8372	2, 4
SEA_T_8374	4

SEA_T_8375	4
SEA_T_8376	2, 3, 4
SEA_T_8378	2
SEA_T_8380	2, 4
SEA_T_8384	4
SEA_T_8385	4
SEA_T_8387	2, 4
SEA_T_8388	2, 4
SEA_T_8389	4
SEA_T_8392	2, 4
SEA_T_8393	4
SEA_T_8397	1, 2, 3, 4
SEA_T_8398	2, 4
SEA_T_8401	2
SEA_T_8406	2, 4
SEA_T_8409	3, 4
SEA_T_8413	1, 2, 3, 4, 5
SEA_T_8414	1, 2, 3, 4
SEA_T_8415	2, 4, 5
SEA_T_8416	2, 4
SEA_T_8418	2, 4
SEA_T_8422	4
SEA_T_8425	2, 4
SEA_T_8426	2
SEA_T_8427	2, 4
SEA_T_8428	4
SEA_T_8429	4
SEA_T_8431	4
SEA_T_8433	4
SEA_T_8437	2
SEA_T_8438	2
SEA_T_8443	2
SEA_T_8900	2
SEA_T_9001	4
SEA_T_9002	3, 4

SEA_T_9003	2, 3, 4
SEA_T_9004	3, 4
SEA_T_9005	4
SEA_T_9006	4
SEA_T_9007	2, 3, 4
SEA_T_9008	4
SEA_T_9009	4
SEA_T_9010	4
SEA_T_9011	4
SEA_T_9012	2, 4, 5
SEA_T_9013	2, 4
SEA_T_9014	4
SEA_T_9015	2, 4, 5
SEA_T_9016	4
SEA_T_9017	2, 4
SEA_T_9018	2, 4, 5
SEA_T_9019	2, 4
SEA_T_9020	4
SEA_T_9021	4
SEA_T_9022	2, 4
SEA_T_9023	2, 4
SEA_T_9024	2, 4
SEA_T_9025	2, 4
SEA_T_9026	4
SEA_T_9027	2, 4
SEA_T_9028	2, 4
SEA_T_9029	2, 4
SEA_T_9030	4
SEA_T_9031	4
SEA_T_9032	4
SEA_T_9033	2, 4
SEA_T_9034	4
SEA_T_9035	4
SEA_T_9036	4
SEA_T_9037	4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

SEA_T_9038	4
SEA_T_9039	2, 4

SEA_T_9040	4
SEA_T_9041	2, 4

¹ Key to criteria: 1 = Representative, 2 = Threat status and rarity, 3= Diversity, 4 = Stepping stones, migration pathways and buffers, 5 = Uniqueness or distinctiveness. For more information about these criteria see the Biodiversity chapter of the Regional Policy Statement in the Unitary Plan. Note that sites only need to meet one criterion to qualify as significant

The Proposed Auckland Unitary Plan (notified 30 September 2013)

Appendix 5.2 River and stream minimum flow and availability

[all provisions in this appendix are: rp]

Table 1 River and stream minimum flow and availability

River or stream	Minimum flow	Availability
Waitangi (as measured at Glenbrook Rd recording site)*	30 l/s	20 l/s May-January 10 l/s February-April
Upper Mauku (at Titi Rd site)*	52 l/s	35 l/s May-January 17.5 l/s February-April
Lower Mauku (at Patullo Rd recording site)*	50 l/s	50 l/s May-January 50 l/s February-April
Upper Whangamaire (as measured at Hunter Rd recording site)*	40 l/s	40 l/s
Whangamaire (at Glenbrook Rd site)*	55 l/s	55 l/s
Whangapouri (at Paerata Rd site)*	65 l/s	65 l/s
Whangapouri (at Blackbridge Rd site)*	100 l/s	100 l/s
Upper Ngakaroa (at 139b Mill Rd site)*	12 l/s	8 l/s May-January 4 l/s February-April
Lower Ngakaroa (at Runciman Rd site)*	48 l/s	32 l/s May-January 16 l/s February-April
Hingia (at Great South Rd site)*	150 l/s	100 l/s May-January 50 l/s February-April
Waihoihoi (at Appleby Rd site)*	8.2 l/s	5.5 l/s May-January 2.75 l/s February-April
Tutaenui	Waikato Regional Plan continues to apply pursuant to s.81(1) of the Resource Management Act 1991	
Mahurangi (at 6 Brown Rd site)	35 l/s	-
Wairoa (as measured at Tourist Rd recording site)	340 l/s	
Other rivers and streams	85% of MALF	30% of MALF

Note*: Requires mitigation such as riparian planting to achieve the same environmental outcomes as for 'Other rivers and streams', otherwise the minimum flow and availability for 'Other rivers and streams' applies.

The Proposed Auckland Unitary Plan (notified 30 September 2013)

Appendix 5.3 Schedule of wetland management areas

[all provisions in this appendix are: rp]

Introduction

Wetlands have been identified as nationally threatened ecosystems that have been reduced significantly from their former extent. Wetlands are characterised as being permanently or intermittently wet areas of shallow water, with land/water margins that support a natural ecosystem of predominantly indigenous plants and animals that are adapted to wet conditions.

The wetlands listed in this schedule are identified in the Plan as Wetland Management Areas.

This schedule has been compiled from existing information on significant freshwater wetlands in Auckland identified in publicly available documents and existing databases. These information sources include:

- Auckland Department of Conservation Management Strategy;
- Department of Conservation Sites of Special Wildlife Interest Database (sites of outstanding, high, moderate-high or moderate ranking);
- WERI (Wetlands of Ecological and Representative Importance) database
- Regional and District Plans, including Appendix B of the Auckland Regional Policy Statement 1999;
- Protected Natural Area Programme survey reports;
- Local reports such as Waiheke Island Sites of Significance.

The schedule identification numbers are the same numbers used in Auckland Council's Natural Heritage Information Database, to enable easy cross-referencing where further information is required for a wetland.

The schedule reflects the range of wetland types in Auckland, including raupo, cabbage tree, flax, and rush and sedge swamps, kahikatea swamp forest, wetlands associated with lakes, streams and volcanic systems, and wetlands associated with freshwater-estuarine ecological sequences. The schedule contains a number of wetlands that are associated with natural lakes. The wetlands associated with these lakes have been identified separately for their ecological and wildlife values.

The schedule also contains freshwater wetlands that are associated with significant estuarine ecosystems such as the Kaipara, Waitemata and Manukau Harbours.

Schedule of wetland management areas

Scheduled ID	Name	Location	Ecological values
<i>Kaipara Ecological Region</i>			
222	Okahukura Peninsula Wetland	Tapora	Swamp vegetation, cabbage tree, manuka, rushes and sedges. Ecological sequence from marine to freshwater. Threatened species
809	Tapora Coast	Tapora	Rich variety of habitats including freshwater wetlands. Of national and international significance.
208	Tapora Golf Course Wetland	Tapora	Freshwater wetland formed by sand dunes. Raupo, Baumea, threatened birds.
221	Gum Store Creek Freshwater Wetland	Tapora	Mangroves, mudflats, sand banks, freshwater wetland, rich assemblage of habitats.

The Proposed Auckland Unitary Plan (notified 30 September 2013)

Scheduled ID	Name	Location	Ecological values
211	Hiki Creek Scenic Reserve	Tapora	Raupo and cabbage tree swamp on flood plain on lower slopes of area of broadleaved podocarp forest.
201	Hiki Stream Wetland	Tapora	Raupo swamp with bordering manuka scrub. Threatened species.
241	Papakanui Wetlands	South Head	Wetlands in the area have rich botanical associations and are of national significance. Rich diversity of bird life and vegetation.
242	Waionui Inlet	South Head	An important estuarine habitat with succession of plant communities between tidal flats, freshwater wetlands and dune areas. Threatened wetland birds.
254	Lagoon Road Wetland and Lake	South Head	Baumea, raupo, cabbage tree, manuka with buffer of kanuka. Habitat for threatened birds.
261	South Head Swamp	South Head	Raupo- <i>Schoenoplectus</i> reedland.
830	Kaukapakapa River	Kaukapakapa	Scattered hill forest grading into alluvial areas of kaihikatea, cabbage tree, flax and native sedges and rushes, which grades into salt marsh and mangroves. Four main areas of wetland occur along river edges and associated tributaries.
Kaipara Dune Lakes			
Extensive system of lakes that provide habitat for a number of threatened wildlife species. These lakes are dynamic and continually changing in size and extent. The schedule includes the following lakes.			
318	Lake Kuwakatai	South Head	Lake with flax, raupo, <i>Schoenoplectus</i> sedgeland
470	Lake Okaihau	Muriwai	Lake with swamp areas dominated by raupo, with flax, <i>Juncus</i> spp. and <i>Cyperus ustulatus</i> . Swamp is contiguous with coastal forest. A valuable area for wildlife.
372	Lake Kereta	South Head	Lake with raupo reedland.
387	Lake Karaka South (1a)	South Head	Lake with swamp vegetation.
391	Lake Karaka South (2)	South Head	Lake with <i>Juncus-Cyperus ustulatus</i> rush-sedgeland.
802	Lake Karaka South (3)	South Head	Lake with <i>Juncus-Cyperus ustulatus</i> rush-sedgeland.
803	Lake Karaka Wetlands	South Head	Lake with <i>Juncus-Cyperus ustulatus</i> rush-sedgeland.
824	Lake Karaka south - unnamed lake 4b	South Head	Lake with <i>Juncus-Cyperus ustulatus</i> rush-sedgeland.
416	Lake Otakanini Topu South	South Head	Lake with swamp vegetation.
302	Lake Ototoa	South Head	Lake with <i>Schoenoplectus</i> reedland.
804	Hedley's Lake 1	South Head	Lake with swamp vegetation.
808	Lake Piripoua (South)	South Head	Lake with <i>Juncus</i> rushland.

The Proposed Auckland Unitary Plan (notified 30 September 2013)

Scheduled ID	Name	Location	Ecological values
825	Lake Te Kanae	South Head	Lake with swamp reedland.
826	Lake Kowhai	South Head	Lake with reedland.
827	Lake Poutoa	South Head	Lake with <i>Cyperus ustulatus-Carex virgata-Juncus</i> sedgeland.
392	Loop Rd Closed Game Area	South Head	Threatened wetland birds.
404	Otakanini Topu Wetland	South Head	Diversity of wetland birds.
418	Fordyce Rd Swamp	Parakai	Raupo- <i>Baumea-Schoenoplectus</i> reedland. Threatened species. High bird diversity.
373	Kaikore Creek Wetland	South Head	Raupo- <i>Schoenoplectus</i> reedland. Habitat for wetland.
427	Bradley Rd Swamp	Helensville	Large swamp with diverse vegetation communities. Manuka, cabbage tree, flax, hangehange, <i>Coprosma</i> , <i>Hebe</i> , raupo, <i>Carex</i> , <i>Juncus</i> .
348	Waioneke Head Swamp	South Head	Vegetation sequence from swamp to scrub, threatened bird species.
359	Webber's Swamp (1)	South Head	Threatened bird species.
353	Webber's Swamp Remnants (2)	South Head	Three small remnants. Threatened species.
369	Wilson's Road Swamp	South Head	Threatened species habitat.
464	Okiritoto Wetland	Muriwai	Large swamp. Diverse habitats. Nesting area.
480	Taiapa Rd Bush and Wetland	Muriwai	Habitat for threatened bird species.
<i>Rodney Ecological District</i>			
41	Tomarata Lake and Wetland	Te Arai	Raupo, Baumea swamp, <i>Empodisma</i> peat swamp. Threatened birds.
34 and 28	Spectacle Lake & Slipper Lake	Te Arai	Dune impounded lakes with freshwater wetland margin. Part of series of dune lakes in Pakiri.
24	Little Shag Lake	Te Arai	Lake with sedgeland border. Regenerating forest on margins.
25	Te Arai Point Little Lake	Te Arai	Dune lake surrounded by shrubland. Wetland birds.
220	Christian Bay Wetland	Tawharanui	Flax, raupo, rushes and sedges, threatened bird species.
177	Omaha Kahikatea Forest	Omaha	Rare intact sequence from salt marsh to forest. Only example of coastal kahikatea forest on sand in region. Threatened birds.
96	Pakiri Valley Swamp Forest	Pakiri	Remnant kahikatea wetland. Intact ecotone.
159 and 164	Wayby Wetland	Wellsford	Raupo, kahikatea swamp. Threatened birds.
342	Strakas Dam	Waiwera	Artificial dam with wetland vegetation, threatened birds.

The Proposed Auckland Unitary Plan (notified 30 September 2013)

Scheduled ID	Name	Location	Ecological values
389	Te Haruhi Bay Swamp	Whangaparoa	Raupo swamp in gully surrounded by regenerating forest. Threatened birds.
810	Araparera Freshwater Wetland	Makarau	Raupo-rush-flax swamp. Threatened birds.
811	Ingelton Road Wetland	Wellsford	Swamp bordered by bush.
409	Peak Road Swamp	Helensville	Raupo, flax, manuka. Threatened birds.
<i>Waitakere Ecological District</i>			
492	Constabled Road Swamp	Muriwai	Long strip of raupo. Threatened birds.
478	Goldies Bush Swamp	Waitakere	Small raupo swamp with kanuka margins. Threatened bird habitat.
563	Pararaha Swamp and Stream	Huia	Relatively large area of raupo, flax, rushes and sedges. Threatened species.
529	Piha Stream Swamp	Piha	Raupo swamp. Threatened bird habitat.
573	Taranaki Bay Swamp	Huia	Part of dune lake system at foot of coastal hills. Threatened bird species.
504 and 509	Te Henga Dunes and Lakes	Te Henga (Bethells Beach)	Large area of sand dunes with several dune impounded lakes. Sequences from raupo reedland to cabbage tree to young kauri forest. Incl. Lakes Kawaupaka and Wainamu.
509	Lake Kawaupaka	Te Henga (Bethells Beach)	One of few dune lakes in region surrounded by native forest. Threatened birds. Wetland is located on margins of lake, which is also identified as a Natural Lake Management Area.
504	Lake Wainamu	Te Henga (Bethells Beach)	Deep dune lake in vegetated catchment. Threatened birds. Freshwater fish.
571	Ohaka Head lake	Huia	Dune lake. Threatened birds.
828	Te Henga Wetland	Te Henga (Bethells Beach)	Largest freshwater swamp in mainland of region. High diversity of vegetation and wildlife species. Threatened species
576	Whatipu Sands	Huia	Extensive area of vegetated sand flats, containing freshwater and saline wetlands, impounding a stretch of cliffs.
<i>Tamaki Ecological District</i>			
450	Lake Pupuke	Takapuna	Small areas of raupo and rushes. Wetland birds Wetland is located on margins of Lake, which is also identified as an Urban Lake Management Area.
812	Soldiers Bay	Birkenhead	Ecological sequence from mangrovesand flats-shell bank-salt marshfreshwater swamp.
813	Chelsea reservoir	Birkenhead	Wetland vegetation on margins of reservoirs including <i>Eleocharis sphacelata</i> .
814	Western Springs	Western Springs	Wetland vegetation associated with lake, including <i>Carex secta</i> swamp

The Proposed Auckland Unitary Plan (notified 30 September 2013)

Scheduled ID	Name	Location	Ecological values
815	Tahuna-Torea	Glendowie	Complex of marine, intertidal, freshwater and terrestrial habitats.
816	Onehunga Springs	Onehunga	Groundwater springs with wetland features. Below One tree Hill lava flows.
817	Crater Hill Lake and Wetland	Onehunga	Volcanic explosion crater with freshwater lake and wetland vegetation.
819	Puhinui Reserve	Wiri	Coastal manuka, flax, cabbage tree, swamp coprosma in association with extensive shoreline saltmarsh.
<i>Waiheke Island - Inner Gulf Islands</i>			
481	Awaawaroa Bay	Waiheke Island	Vegetation sequence from mangrove-saltmarsh-freshwater wetland. Large number of wading birds.
452	Awaawaroa Stream Wetlands	Waiheke Island	One of best raupo wetlands in island. Threatened birds.
469	Putiki Bay	Waiheke Island	Ecological sequence from saline to freshwater wetlands. Threatened birds.
487	Rocky Bay Wetland	Waiheke Island	One of best saline and freshwater wetlands on island. Vegetation sequence. Threatened birds.
482	Te Matuku Bay	Waiheke Island	The most important wader habitat on island. Best vegetation sequence from saline-freshwater-terrestrial on island. Threatened birds.
820	Ponui Island	Ponui Island	Freshwater wetlands in gully systems. Threatened birds.
<i>Great Barrier Island</i>			
108	Blackwells Creek	Great Barrier Island	Tidal stream and wetlands. Threatened birds.
101	Claris South Swamp	Great Barrier Island	Manuka, raupo, tall sedge. Threatened birds.
97	Grandstand Swamp	Great Barrier Island	Freshwater swamp enclosed with manuka. Threatened birds.
74	Kaitoke Swamp	Great Barrier Island	Most significant and largest freshwater wetland in region. Vegetation sequences. Threatened species. Internationally significant.
111	Sugarloaf Creek (Medlands Beach North Creek)	Great Barrier Island	Freshwater and tidal stream and wetlands. Threatened birds.
120	Oruawharo Stream	Great Barrier Island	Stream margins, rushes, sedges, manuka, threatened birds.
22	Mabeys Road Swamp	Great Barrier Island	Raupo surrounded by manuka. Once more extensive. Threatened birds.
7	Mabey's Farm Stream	Great Barrier Island	Tidal stream with wetland vegetation. Threatened birds.
3	Motairehe Bay and Swamp	Great Barrier Island	Tidal stream linking with freshwater swamp. Threatened birds.

The Proposed Auckland Unitary Plan (notified 30 September 2013)

Scheduled ID	Name	Location	Ecological values
10	Whangapoua Estuary	Great Barrier Island	One of least modified estuaries in NZ. Sequence from saline-freshwater wetland-manuka scrub. High bird species richness. Internationally significant.
54	Awana Stream	Great Barrier Island	Stream margins, kanuka, manuka, threatened birds
37	Harataonga Stream	Great Barrier Island	Threatened birds.
150	Tryphena Stream	Great Barrier Island	Tidal stream. Threatened birds.
<i>Awhitu Ecological District</i>			
591	Boiler Gully Swamp	Manukau Heads	Raupo, swamp maire, manuka. Intact forest-wetland sequences. Threatened bird habitat.
691	Lake Whatihua	Waiuku	Raupo, rushes and sedges. Threatened birds.
635 and 640 and 642	Pehiakura Lakes	Pollock	Two lakes with raupo, <i>Baumea</i> . Wetland birds.
612	Awhitu Regional Park Wetlands	Awhitu	Saline-freshwater wetland sequences. Threatened birds.
581	Big Bay Estuary and Wetland	Manukau Heads	Manuka swamp in association with estuarine ecosystem. Threatened birds.
650	Lake Pokorua	Pollock	Largest dune lake on peninsula. Significant wetland vegetation. Threatened birds.
<i>Manukau Ecological District</i>			
653	Patumahoe Road Swamp	Patumahoe	Diverse habitat. Raupo, <i>Carex</i> .
616	Don Urquarts Swamp	Karaka	Raupo swamp. Threatened bird habitat.
627	Whangapouri Pond	Karaka	Raupo swamp. Wetland bird habitat
821	Kidd Road Wetland	Karaka	Raupo swamp. Threatened bird habitat.
829	Hunter Road Wetland	Patumahoe	Raupo, flax, <i>Carex secta</i> , kahikatea wetland. Threatened bird species.
<i>Hunua Ecological District</i>			
823	Hattaway Raupo	Whitford	Dense raupo backing onto mangrove saltmarsh. Wildlife habitat.
597	Hunua Road Dam (Hay's Creek Reservoir)	Hunua	Wetland bird habitat.
562	Harrison's Flax Swamp	Clevedon	Flax swamp. Wetland plant diversity. Threatened birds.
559	Sharpe's Raupo	Clevedon	Long thin raupo swamp. Wetland bird habitat.
588	Oram's Road Wetland	Clevedon	Best lowland raupo, kiokio wetland in district. Threatened birds.
822	Whakatiwai Wetlands	Whakatiwai	Coastal cabbage tree-raupo-sedge wetland vegetation associated with gravel ridges.


Appendix 5.3.1 Wetland management areas maps

Figure 1: Fitzroy-Okiwi Great Barrier Island




Numbers relate to schedule identification numbers.

Figure 2: Awana-Claris Great Barrier Island




Numbers relate to schedule identification numbers.

Figure 3: Medlands-Tryphena Great Barrier Island




Numbers relate to schedule identification numbers.

Figure 4: Te Arai - Tomarata




Numbers relate to schedule identification numbers.

Figure 8: Omaha - Tawharanui




Numbers relate to schedule identification numbers.

Figure 10: Araparera SH 16 Kaipara




Numbers relate to schedule identification numbers.

Figure 11: Waiwera




Numbers relate to schedule identification numbers.

Figure 12: South Kaipara Head south




Numbers relate to schedule identification numbers.

Figure 13: Peak Road Helensville



Numbers relate to schedule identification numbers.

Figure 14: Shakespear Regional Park




Numbers relate to schedule identification numbers.

Figure 17: Auckland Central



Numbers relate to schedule identification numbers.

Figure 18: Piha - Whatipu Waitakere west coast



Numbers relate to schedule identification numbers.

Figure 19: Onehunga - Mangere




Numbers relate to schedule identification numbers.

Figure 20: Tahuna Torea - Whitford




Numbers relate to schedule identification numbers.

Figure 21: Onetangi Waiheke Island




Numbers relate to schedule identification numbers.

Figure 22: Eastern Waiheke Island and Ponui Island




Numbers relate to schedule identification numbers.

Figure 24: Karaka




Numbers relate to schedule identification numbers.

Figure 26: Central-South Awhitu



Numbers relate to schedule identification numbers.

Figure 27: Patumahoe



Numbers relate to schedule identification numbers.

The Proposed Auckland Unitary Plan (notified 30 September 2013)

Appendix 5.4 Schedule of natural lake management areas

[all provisions in this appendix are: rp]

Schedule ID	Name	Location	AC Natural Heritage Information Database ID	Ecological values and water quality
Lake Spectacle	Lake Spectacle	Te Arai	34	Has the worst water quality of the seven lakes monitored by Auckland Council, consistent with its location entirely within a pastoral catchment. Suffers regular blooms of algae, particularly during summer. A narrow fringe of vegetation exists around the margin comprising raupō, tall spike sedge, mingimingi and swamp kiokio. Provides a refuge and feeding habitat for resident and itinerant waterfowl.
Lake Slipper	Lake Slipper	Te Arai	28	Connected to Lake Spectacle by a drainage canal, with similar water quality. Prevalent algal blooms occur during summer. Some wetland vegetation occurs around the margin, which provides habitat for wetland birds.
Lake Tomarata	Lake Tomarata	Te Arai	41	A small dune lake with extensive wetland areas along its north, west and southern shores. Water quality is moderate compared to other lakes Auckland Council monitors, though may be deteriorating. Raupo dominates the marginal vegetation with sedges, rushes and the umbrella fern found within the wetland. Provides a refuge and feeding habitat for resident and itinerant waterfowl.
Lake Ototoa	Lake Ototoa	South Head	302	Has the best water quality of the seven lakes monitored by Auckland Council. The lake supports dense beds of native submerged aquatic plants dominated by Chara sp. Marginal emergent vegetation is diverse with three Baumea species dominating. Large populations of dwarf inanga and bullies are present in the lake.
Lake Kuwakatai	Lake Kuwakatai	South Head	318	Has very poor water quality typical of a shallow waterbody located within a pastoral catchment. The weed hornwort dominates the aquatic plant communities and many exotic fish are present, including koi carp. Provides a refuge and feeding habitat for resident and itinerant waterfowl.
Lake Te Kanae	Lake Te Kanae	South Head	825	No information available.

The Proposed Auckland Unitary Plan (notified 30 September 2013)

Schedule ID	Name	Location	AC Natural Heritage Information Database ID	Ecological values and water quality
Lake Kereta	Lake Kereta	South Head	372	A small turbid dune lake with poor water quality. High faecal bacteria counts indicate stock access to the water and large populations of resident waterfowl, including swans. The weed hornwort dominates the aquatic plant communities and many exotic fish are present.
Lake Paekawau	Lake Paekawau	Waimauku	No wetland	A small lake located near Muriwai Beach. Little information exists.
Lake Okaihau	Lake Okaihau	Waimauku	470	Also located near Muriwai Beach. Some historic information available
Lake Wainamu	Lake Wainamu	Bethells Beach	504	Water quality has undergone recent deterioration following the loss of submerged aquatic plants in the mid 1990's. A large amount of its catchment is native forest. Exotic fish are present including goldfish, perch, tench, rudd and catfish. A colony of black shag are also present.
Lake Kawaupaka	Lake Kawaupaka	Bethells Beach	509	A small lake located entirely within a forested catchment. Water quality has declined recently following the introduction of exotic plants and fish during the past thirty years. A large colony of black shag are present.
Pehiakura Lake	Pehiakura Lake	Awhitu	635	No information available.
Lake Pokorua	Lake Pokorua	Awhitu	650	A small dune lake located on the Awhitu Peninsula. Three threatened bird species are found at the lake, the Australasian bittern, New Zealand dabchick and the North Island fernbird. Waterfowl present include NZ scaup, paradise shelduck, black swan and shoveller duck. Other wetland, forest and coastal bird species present include: mallard duck, little shag, white fronted tern, black backed gulls, black shag, white faced heron, pukeko, harrier hawk and grey warbler.
Lake Whatihua	Lake Whatihua	Awhitu	691	No information available.

The above listed lakes are identified as Natural Lake Management Areas. The management area includes the area of water within the lake itself and a 50 metre buffer surrounding the lake edge. This buffer distance is measured landward from the Mean Annual Water Level.

Many of these lakes also contain wetlands around their margins which are identified in Appendix 5.3: Schedule of Wetland Management Areas.

The Proposed Auckland Unitary Plan (notified 30 September 2013)

Appendix 5.5 Aquifer water availabilities and levels

[all provisions in this appendix are: rp]

Table 1: Aquifer water availabilities

Aquifer name / Schedule ID	Location	Water availability (m ³ /year)
Waitemata Aquifer		
Orewa Waitemata	Orewa	858,000
Whangaparaoa Waitemata	Whangaparaoa	528,000
Tomarata Waitemata	Tomarata	638,000
Omaha Waitemata	Omaha	105,000
Kumeu Waitemata	Kumeu	1,559,000
Mahurangi Waitemata	Mahurangi	1,605,500
Manukau Waitemata	Manukau	660,000
Clevedon East Waitemata	Clevedon	379,400
Clevedon West Waitemata	Clevedon	964,400
Kaawa Aquifer		
Pukekohe Kaawa	Pukekohe	1,860,000
Karaka Kaawa	Karaka	617,000
Pukekohe West Kaawa	Pukekohe	1,780,000
Waiiau Pa Kaawa	Pukekohe	1,560,000
Waiuku Kaawa	Waiuku	2,450,000
Bombay - Drury Kaawa	Drury	718,000
Manukau Southeast Kaawa	Manukau	1,080,000
Volcanic Aquifer		
Pukekohe Central Volcanic	Pukekohe	856,000
Pukekohe South Volcanic (in Auckland Council area only)	Pukekohe	400,000
Pukekohe West Volcanic	Pukekohe	420,000
Pukekohe North Volcanic	Pukekohe	420,000
Western Springs Volcanic	Western Springs	9,600,000
Onehunga Volcanic	Onehunga	8,468,000
Mt Wellington Volcanic	Mt Wellington	6,570,000
Mt Richmond Volcanic	Mt Wellington	880,000
Aquifers not separately listed		
Shallow, coastal aquifers	15% of average annual recharge as determined by the Auckland Council	
All other aquifers with connection to a surface water body	35% of average annual recharge as determined by the Auckland Council	

The Proposed Auckland Unitary Plan (notified 30 September 2013)

Aquifer name / Schedule ID	Location	Water availability (m ³ /year)
All other aquifers not separately listed without connection to a surface water body	65% of average annual recharge as determined by the Auckland Council	

Table 2: Interim aquifer groundwater levels

Schedule ID/Name	Location	Interim level (metres above mean sea level)
Omaha Waitemata	Bore 25, Point Wells Rd	3.25 (for any 11 months of the year)
Waiwera Geothermal	AC beachfront Deep Bore No. 74	0.5 averaged over any consecutive 12 months
Parakai Geothermal	AC Deep Bore No. 86	2.5 averaged over any consecutive 12 months

Appendix 5.6 Macroinvertebrate community index for landuse types

[all provisions in this appendix are: rp]

Map 1: Macroinvertebrate community index for landuse types

